


WELLS[®]

VEHICLE ELECTRONICS

Universal Parts Guide



ILLUSTRATED PARTS GUIDE INDEX


Accessory Horn.....	17
Axle Shift Control Switch.....	19
Back Up Alarm.....	17
Ballast Resistor.....	19
Battery Switch.....	19
Brackets.....	3
Circuit Breaker.....	12-15
Dash Indicator Light Set.....	19
Electrical Connectors.....	3-7
Electrical Lubricant.....	17
Electrical Sockets.....	7-8
Engine Diagnostic Jumper Key.....	8
Fuse Block.....	15-17
Fuse Holder.....	17
Generator Bushing.....	10
Horn Button.....	19
Ignition Coil.....	17-19
Ignition Switch.....	19-20
Master Disconnect Switch.....	20-21
Momentary Push Button Switch.....	21
Power Distribution Block.....	33
Push Button Switch.....	21
Push Pull Switch.....	21-22
Radio Capacitor.....	19
Relays.....	8
Rocker Type Switch.....	22-25
Rotary Type Switch.....	25
Silicone Grease.....	17
Starter Bushing.....	10-12
Starter Solenoid.....	25-28
Toggle Switch.....	28-32
Toggle Switch Boot.....	17
Toggle Switch Faceplate.....	32
Vehicle Key.....	10
Voltage Reducer.....	10
Voltage Regulator.....	32-33

BRACKETS			
	1R1756 Multi-Purpose Relay Bracket Universal Relay Bracket and Retainer		4T1089 Trailer Connector Kit Universal 4 Pole Connector, Tow Vehicle Side, 2 5/8" On Center Mounting Holes
	3C1171 Multi-Purpose Bracket 2 Gang Circuit Breaker Mounting Bracket, 4 13/16" Long		4T1090 Trailer Connector Kit Universal 7 Pole Connector, Tow Vehicle Side
ELECTRICAL CONNECTORS			
	4T1083 Trailer Connector Kit Universal 9 Pole Connector, Tow Vehicle Side	4T1097 Trailer Connector Kit Universal 4 Pole Flat Connector Extension, Provides an additional 18' length of wire.	
	4T1084 Trailer Connector Kit Universal 9 Pole Connector, Trailer Side	Acura 1993-90 Buick 2003-90 Cadillac 2000-98 Chevrolet 2003-90 Daihatsu 1992-90 Dodge 2003-90 Eagle 1996-90 Ford 2003-90 GMC 2000-90 Geo 1997-90 Honda 1993-90 Hyundai 2003-90 Isuzu 1999-90 Jeep 1996-90 Kia 2000-94 Mercury 2000-90 Mitsubishi 1996-90 Nissan 2000-90 Oldsmobile 1997-90 Plymouth 2000-90 Pontiac 2004-90 Saturn 2000-91 Suzuki 2003-90 Toyota 2004-90 Volkswagen 2000-90	
	4T1085 Trailer Connector Kit Universal 6 Pole Connector, Trailer Side		4T1091 Trailer Connector Kit Universal 9 Pole RV Style Connector Set
	4T1086 Trailer Connector Kit Universal 6 Pole Connector, Tow Vehicle Side		4T1092 Trailer Connector Kit Universal 7 Pole RV Style Connector, Connector for 12 Volt Lighter Style Socket.
	4T1087 Trailer Connector Kit Universal 4 Pole Trailer Connector Set, Includes Trailer End & Tow Vehicle End., 2-5/8" On Center Mounting Holes		4T1093 Trailer Connector Kit Universal 6 Pole Round Connector, Connector for 12 Volt Lighter Style Socket.
	4T1088 Trailer Connector Kit Universal 4 Pole Connector, Trailer Side		4T1094 Trailer Connector Kit Universal 7 Pole Round Converter Kit, Plugs into a 4 Pole flat connector on Tow Vehicle., Wired for three additional circuits.
			4T1095 Trailer Connector Kit Universal 6 Pole Round Die Cast Converter Kit, Plugs into a 4 Pole flat connector on Tow Vehicle., Wired for additional circuits.
			4T1096 Trailer Connector Kit Universal 4 Pole Flat Knock-Out Connector, Used in place of license plate light to eliminate tangling wires.
			4T1098 Trailer Connector Kit Universal 6 Pole Connector Set, A recreational vehicle special. Attractive one-piece black molded plastic socket with plated spring loaded cover. (12338597)
			4T1100 Trailer Connector Kit Universal 7 Pole Round Connector, Connector for 12 Volt Lighter Style Socket.
			4T1101 Trailer Connector Kit Universal 4 Pole Flat Tow Vehicle Side, 48" Lead Wire
			4T1102 Trailer Connector Kit Universal 4 Pole Flat Tow Vehicle Side, 60" Lead Wire
			4T1103 Trailer Connector Kit Universal 4 Pole Flat Trailer Side, 12" Lead Wire
			4T1104 Trailer Connector Kit Universal 4 Pole Flat Extension, 48" Lead Wire
			4T1105 Trailer Connector Kit Universal 4 Pole Flat Extension, 10" Lead Wire
			4T1106 Trailer Connector Kit Universal 4 Pole Flat Trailer Side Connector, 20" Lead Wire
			4T1107 Trailer Connector Kit Universal 4 Pole Flat Trailer Side Connector, 25" Lead Wire
			4T1108 Trailer Connector Kit Universal 7-way ATA approved connector for tractors & trailers -- interchange with any tractor or trailer equipped with an ATA approved connector. (12338598)
			4T1109 Trailer Connector Kit Universal 4 Pole Flat Trailer Side Connector, 30" Lead Wire
			4T1110 Trailer Connector Kit Universal 7 Pole RV Style Tow Vehicle Side


ELECTRICAL CONNECTORS

 4T1111 Trailer Connector Kit Universal 4 Pole Flat Mounting Bracket	 4T1119 Trailer Connector Kit Universal 4 Pole Flat LED Tester	 4T1128 Trailer Connector Kit Universal 7 Pole Trailer Connector Socket with Weather Proof Plug	 4T1140 Trailer Connector Kit Universal Single Pole Trailer Connector Set, Accepts up to 00 ga. Wire
 4T1112 Trailer Connector Kit Universal 4, 5 & 6 Pole Mounting Bracket	 4T1121 Trailer Connector Kit Universal 6 Pole Round Trailer Connector Set, Self Locking with Coded Terminals, Accepts (5) 12 ga. & (1) 10 ga. Wire	 4T1129 Trailer Connector Kit Universal 7 Pole RV Type Trailer Connector Receptacle	 4T1141 Trailer Connector Kit Universal 7 Pole Trailer Connector Set, Contains 20 Amp Replaceable Circuit Breaker
 4T1113 Trailer Connector Kit Universal 7 & 9 pole Mounting Bracket, (Black)	 4T1122 Trailer Connector Kit Universal Single Pole Trailer Connector Receptacle, Accepts up to 0 ga. Wire	 4T1130 Trailer Connector Kit Universal 7 Pole RV Type Trailer Connector Plug	 4T1142 Trailer Connector Kit Universal 7 Pole Trailer Connector Socket, Heavy Duty Weather Proof, Contains Safety Latch to Prevent Accidental Pull Away
 4T1114 Trailer Connector Kit Universal 4 Pole Flat Dust Cover	 4T1123 Trailer Connector Kit Universal Single Pole Trailer Connector Plug, Accepts up to 0 ga. Wire	 4T1133 Trailer Connector Kit Universal 6 Pole Round Trailer Connector Set	 4T1143 Trailer Connector Kit Universal 7 Pole Trailer Connector Plug
 4T1115 Trailer Connector Kit Universal 4 Terminal Connector with Diode Protection System	 4T1124 Trailer Connector Kit Universal 4 Pole Round Trailer Connector Plug, Accepts up to 12 ga. Wire	 4T1134 Trailer Connector Kit Universal Protective Boot for 6 Pole Sockets	 4T1144 Trailer Connector Kit Universal Trailer Connector Socket Mounting Bracket, (Silver)
 4T1116 Trailer Connector Kit Universal 1 Pole Connector, Used on Farm Equipment, Accepts up to 0 ga. Wire	 4T1125 Trailer Connector Kit Universal Spring Type Cable Guard	 4T1136 Trailer Connector Kit Universal 6 Pole Long Connector Trailer Side	 4T1145 Trailer Connector Kit Universal 7 Pole Round Socket, Contains 15 Amp Replaceable Circuit Breaker
 4T1117 Trailer Connector Kit Universal 4 Pole Round Trailer Connector Set, Accepts up to 12 ga. Wire, Self Locking with Coded Sockets, Supplied with Spring Wire Guard	 4T1126 Trailer Connector Kit Universal 7 Pole Trailer Connector Socket	 4T1137 Trailer Connector Kit Universal 4-Pole Chrome Polarized Trailer Connector Set. Spring locked cover holds plug in position and keeps out elements when not in use. Die cast plug and socket casing. (12338599)	 4T1146 Trailer Connector Kit Universal 7 Pole Round Pin Socket Interior, Solid Pin Type
 4T1118 Trailer Connector Kit Universal 4 Pole Flat Mounting Box & Bracket	 4T1127 Trailer Connector Kit Universal 7 Pole Trailer Connector Plug	 4T1139 Trailer Connector Kit Universal 7 Pole Round Socket, Contains 30 Amp Replaceable Circuit Breaker	 4T1147 Trailer Connector Kit Universal Chrome 4 Pole Plug. (12338600)


ELECTRICAL CONNECTORS

 4T1150 Trailer Connector Kit Universal Electronic Taillight Converter, Used to Adapt Separate Stop & Turn Lights on Tow Vehicles to Combined Lights on Trailer.	 4T1162 Trailer Connector Kit Universal 7 Pole Plug Interior, Brass Contacts on Molded Plastic Insulator, Accepts up to 8 ga. Wire	 4T1165 Trailer Connector Kit Universal 7 Pin RV Type to 4 Pin Flat Adapter, 48" Lead Wire	 4T1169 Trailer Connector Kit Universal 5 Pole Round Trailer Connector Plug
 4T1151 Trailer Connector Kit Universal 4, 6 Pole Trailer Connector Mounting Bracket	 4T1163 Trailer Connector Kit Universal Single Pole Power Take-off Socket, Self Grounding Socket with Solid Brass Contact, Protective Rubber Boot Protects Terminals	Acura 2006-90 Audi 2001-90 BMW 2001-90 Buick 2006-90 Cadillac 2003-90 Chevrolet 2006-90 Chrysler 2003-90 Daihatsu 1992-90 Dodge 2005-90 Eagle 1996-90 Ford 2004-90 GMC 2005-90 Geo 1997-90 Honda 2006-90 Hyundai 2003-90 INFINITI 2003-90 Isuzu 2006-90 Jaguar 2000-90 Jeep 2001-90 Kia 2000-94 Land Rover 2000-90 Lexus 2000-91 Lincoln 2000-90 Mazda 2003-90 Mercedes-Benz 1999-90 Mercury 2000-90 Mitsubishi 2000-90 Nissan 2004-90 Oldsmobile 2001-90 Plymouth 2000-90 Pontiac 2004-90 Porsche 2000-90 Saab 2000-90 Saturn 2000-91 Subaru 2003-90 Suzuki 2003-90 Toyota 2005-90 Volkswagen 2000-90 Volvo 2000-90	 4T1171 Trailer Connector Kit Universal 7 Pin RV Style to 6 Pin Round Style Adapter, Center Pin for Electric Brake
 4T1152 Trailer Connector Kit Universal 4 Pole Flat Connector Extension Trailer Side, 48" Lead Wire	 4T1164 Trailer Connector Kit Universal Single Pole Power Take-off Plug, Accepts up to 0 ga. Wire		 4T1174 Trailer Connector Kit Universal 6 Pin Round to 4 Pin Flat Adapter
 4T1153 Trailer Connector Kit Universal Trailer Connector Circuit Protection, Protects Tow Vehicle from Short Circuits, Supplied without Extension			 4T1176 Trailer Connector Kit Universal 7 Pole RV Style to 4 Pole Flat Adapter, Supplied with 3" Lead Wire
 4T1156 Trailer Connector Kit Universal 4 Pole Chrome Socket. (12338601)			 4T1177 Trailer Connector Kit Universal Trailer Circuit Breaker, Prevents Damage to Tow Vehicle's Electronics, Flat Four Prong Connector Plugs into Wire Harness
 4T1159 Trailer Connector Kit Universal Protective Boot for 7 Pole Sockets, Protects against road splash, dirt and debris., Inner ridge locks over head of terminal screws.			 4T1178 Trailer Connector Kit Universal Trailer Connector Adapter, Converts 7 Pole RV Style Blade Terminals to 6 Pole Pin Type., Center Pin for Auxiliary
 4T1160 Trailer Connector Kit Universal 7 Pole Plug Interior, Diecast Metal Housing Supplied without Cable Spring		 4T1166 Trailer Connector Kit Universal 6 Pin Round to 4 Pin Flat Adapter	 4T1179 Trailer Connector Kit Universal Trailer Connector Adapter, Converts 7 Pole Pin Connector to 4 Pole Flat.
 4T1161 Trailer Connector Kit Universal 7 Pole Plug Interior, Diecast Housing Supplied with Protective Cable Spring		 4T1167 Trailer Connector Kit Universal 5 Pole Round Trailer Connector Set  4T1168 Trailer Connector Kit Universal 5 Pole Round Trailer Connector Socket	 4T1180 Trailer Connector Kit Universal Trailer Connector Adapter, Converts 4 Pole Round to 4 Pole Flat.

ELECTRICAL CONNECTORS

 4T1181 Trailer Connector Kit Universal Trailer Connector Adapter, Converts 6 Pole Round to 4 Pole Flat.	 4T1187 Trailer Connector Kit Universal 5 Pole Square Connector with 12' Leads	 4T1197 Trailer Connector Kit Universal 6 Pole wiring kit containing 6 pole square connector with 48" color coded wire leads on female side, 12" color coded wire leads on male side.	 4T1231 Trailer Connector Kit Universal, 7 Flat Installation Kit																																																
 4T1182 Trailer Connector Kit Universal Trailer Connector Adapter, Converts 7 Pole RV Style to 4 Pole Flat.	 4T1188 Trailer Connector Kit Universal Converter, Converts Rear Lights to 4 Pole Flat Connector, General Motors Vehicles 1976-1991	 4T1214 Trailer Connector Kit Universal 5 Pole Flat Trailer Side Connector	 4T1232 Trailer Connector Kit Universal, 6 Round Complete Installation Kit																																																
 4T1183 Trailer Connector Kit Universal Connector, Four pole, polarized Bakelite body with soft rubber caps. All brass four prong screw terminals with interlocking brass contacts. (12338595)	 4T1191 Trailer Connector Kit Universal 4-Pole flat connector with 12" wires on male & female side (12338604)	 4T1215 Trailer Connector Kit Universal 5 Pole Flat Tow Vehicle Side Connector, 48" Lead Wire	 4T1233 Trailer Connector Kit Universal, GM 6 Terminal, 4 Flat Vehicle OE Replacement Connector																																																
 4T1184 Trailer Connector Kit Universal Taillight Converter, Converts Amber/Red to Red	 4T1192 Trailer Connector Kit Universal 6 pole square connector with 12" wires on male & female side (12338605)	 4T1220 Trailer Connector Kit Universal, 4 Flat Wire Trailer Light Converter	 4T1234 Trailer Connector Kit Universal, GM 7 Flat Vehicle OE Replacement Connector																																																
 4T1185 Trailer Connector Kit Universal Taillight Converter, Used on vehicles which have a separate bulb for turn signals. <table><tr><td>Acura</td><td>2006-90</td></tr><tr><td>Cadillac</td><td>2000-98</td></tr><tr><td>Chevrolet</td><td>2005-90</td></tr><tr><td>Dodge</td><td>1994-90</td></tr><tr><td>Eagle</td><td>1996-90</td></tr><tr><td>Ford</td><td>2003-90</td></tr><tr><td>GMC</td><td>2002-90</td></tr><tr><td>Geo</td><td>1997-90</td></tr><tr><td>Honda</td><td>2006-90</td></tr><tr><td>Hyundai</td><td>2003-90</td></tr><tr><td>INFINITI</td><td>2003-00</td></tr><tr><td>Isuzu</td><td>2006-90</td></tr><tr><td>Jeep</td><td>1996-90</td></tr><tr><td>Kia</td><td>2000-94</td></tr><tr><td>Mercury</td><td>2000-93</td></tr><tr><td>Mitsubishi</td><td>2000-90</td></tr><tr><td>Nissan</td><td>2004-90</td></tr><tr><td>Oldsmobile</td><td>2000-98</td></tr><tr><td>Plymouth</td><td>1994-90</td></tr><tr><td>Pontiac</td><td>2003-90</td></tr><tr><td>Saturn</td><td>2000-91</td></tr><tr><td>Suzuki</td><td>2003-90</td></tr><tr><td>Toyota</td><td>2005-90</td></tr><tr><td>Volkswagen</td><td>2000-90</td></tr></table>	Acura	2006-90	Cadillac	2000-98	Chevrolet	2005-90	Dodge	1994-90	Eagle	1996-90	Ford	2003-90	GMC	2002-90	Geo	1997-90	Honda	2006-90	Hyundai	2003-90	INFINITI	2003-00	Isuzu	2006-90	Jeep	1996-90	Kia	2000-94	Mercury	2000-93	Mitsubishi	2000-90	Nissan	2004-90	Oldsmobile	2000-98	Plymouth	1994-90	Pontiac	2003-90	Saturn	2000-91	Suzuki	2003-90	Toyota	2005-90	Volkswagen	2000-90	 4T1193 Trailer Connector Kit Universal 4-Pole square connector with 12" wires on male & female side	 4T1227 Trailer Connector Kit Universal, 7 RV to 4 Flat, with Test Lights	 4T1236 Trailer Connector Kit Universal 7 Blade to 6 Round Adapter, Center Pin Aux. with LED Test Lights
Acura	2006-90																																																		
Cadillac	2000-98																																																		
Chevrolet	2005-90																																																		
Dodge	1994-90																																																		
Eagle	1996-90																																																		
Ford	2003-90																																																		
GMC	2002-90																																																		
Geo	1997-90																																																		
Honda	2006-90																																																		
Hyundai	2003-90																																																		
INFINITI	2003-00																																																		
Isuzu	2006-90																																																		
Jeep	1996-90																																																		
Kia	2000-94																																																		
Mercury	2000-93																																																		
Mitsubishi	2000-90																																																		
Nissan	2004-90																																																		
Oldsmobile	2000-98																																																		
Plymouth	1994-90																																																		
Pontiac	2003-90																																																		
Saturn	2000-91																																																		
Suzuki	2003-90																																																		
Toyota	2005-90																																																		
Volkswagen	2000-90																																																		
 4T1194 Trailer Connector Kit Universal Connector Kit, Contains 4 pole flat molded connector with 48" color coded wire leads on female side., 12" color coded wire leads on male side and 3 non-stripping splice connectors., 4-Pole Wiring Kit (12338606)	 4T1228 Trailer Connector Kit Universal, 4 Flat Set, Crimp on Type	 4T1237 Trailer Connector Kit Universal 7 Blade to 6 Round Adapter, Center Pin Brake. with LED Test Lights																																																	
 4T1195 Trailer Connector Kit Universal Connector Kit for truck & trailer; kit includes 4 pole flat molded connector with 24 feet of color coded wiring., 4 feet of wiring on female side, 20 feet of wiring on male side and 6 non-stripping splice connectors., 4-Pole Wiring Harness	 4T1229 Trailer Connector Kit Universal, 7 Blade to 6 Round and 4 Flat, Center Pin Brake	 4T1238 Trailer Connector Kit Universal 7 Round to 7 Blade Adapter																																																	
	 4T1230 Trailer Connector Kit Universal, 7 RV to 6 Round Vehicle Side Housing	 4T1239 Trailer Connector Kit Universal 7 Blade to Flat 5 Adapter																																																	




ELECTRICAL CONNECTORS

 4T1240 Trailer Connector Kit Universal 7 Terminal RV Connector, Adapts to 4 and 5 Terminal Flat Adapter	 1P1128 Socket Assembly Double Contact, Phenolic Disc and Pigtails with solid brass contacts assembled with a weather-proof rubber boot for double contact standard base sockets., (Bulb Nos: 64, 68, 82, 88, 90, 94, 210, 1004, 1034, 1074, 1130, 1154, 1157, 1158, 1176)	 6S1002 Socket Assembly, License Plate Light Socket Single Contact Socket Assembly, For license plate lamps on many cars, trucks, trailers. Spring clips for snap fit in 7/8" to 1 1/8" openings. (Bayonet Base) Bulb Nos. 63, 67 87, 89, 93, 209, 1003, 1073, 1129, 1133, 1141. (88861050)	 6S1009 Tail Light Socket Socket Assembly, Tail light and Stoplight, Twist Lock Type (8903202, 8914822) <table><tr><td>Buick</td><td>1981-71</td></tr><tr><td>Chevrolet</td><td>1991-69</td></tr><tr><td>GMC</td><td>1991-87</td></tr><tr><td>Oldsmobile</td><td>1981-68</td></tr><tr><td>Pontiac</td><td>1981-69</td></tr></table>	Buick	1981-71	Chevrolet	1991-69	GMC	1991-87	Oldsmobile	1981-68	Pontiac	1981-69								
Buick	1981-71																				
Chevrolet	1991-69																				
GMC	1991-87																				
Oldsmobile	1981-68																				
Pontiac	1981-69																				
 4T1241 Trailer Connector Kit Universal 5 Round Kit. Trailer End with Lead Wire, Vehicle End and Mounting Bracket	 1P1129 Combination Light Socket, Socket Assembly Single Contact, Phenolic disc and pigtail with solid brass contact assembled with a rubber boot for single contact standard base sockets., (Bulb Nos: 63, 67, 81, 87, 89, 93, 209, 1003, 1073, 1129, 1133, 1141) (88861063)	 6S1003 Socket Assembly, Instrument Panel Light Socket Single Contact Socket Assembly, Miniature Base -- For 5/8" hole. Instrument panel lighting on Ford products. (Miniature Base) Bulb Nos. 51, 53, 55, 57, 57X. (88861020)	 6S1013 Socket Assembly Single Contact Miniature Pigtail Socket And Bracket., For dome, map, and other applications. Use with bulb no. 44, 51, 53, 55, 57																		
 4T1243 Trailer Connector Kit Universal Flat 4 for 1.2in Licence Lamp Hole	 1P1441 Combination Light Socket, Socket Assembly Universal Socket, Used with 198, 1016, 1034, 1154, 1157 Bulbs	 6S1006 Tail Light Socket Double Contact Socket Assembly, Positive-grip, heavy duty plastic housing and sealed-in-blade contacts. An exact replacement for the original tail light and stoplight socket on all early model GM cars. Bulb Nos. 1034 & 1154. (4486948, J4486948) <table><tr><td>Buick</td><td>1967-63</td></tr><tr><td>Cadillac</td><td>1970-63</td></tr><tr><td>Chevrolet</td><td>1968-64</td></tr><tr><td>Oldsmobile</td><td>1969-63</td></tr><tr><td>Pontiac</td><td>1969-61</td></tr></table>	Buick	1967-63	Cadillac	1970-63	Chevrolet	1968-64	Oldsmobile	1969-63	Pontiac	1969-61	 6S1014 Combination Light Socket, Socket Assembly Double Contact Base with Socket, Use with bulb no. 64, 68, 82, 88, 90, 94, 210, 1004, 1074, 1130, 1158, 1176.								
Buick	1967-63																				
Cadillac	1970-63																				
Chevrolet	1968-64																				
Oldsmobile	1969-63																				
Pontiac	1969-61																				
ELECTRICAL SOCKETS																					
 1P1125 Tail Light Socket Double Contact, Phenolic Disc -- Pigtail wire assembly with terminals attached for standard base sockets., (Bulb Nos. 64, 68, 82, 88, 90, 94, 210, 1004, 1034, 1074, 1130, 1154, 1157, 1158, 1160) (88860479)	 1P2631 Combination Light Socket, License Plate Light Socket, Socket Assembly, Tail Light Socket Parking, Stop, Turn and Tail Lamp Socket Double Contact Weather Resistant Boot 12" Wire Lead Fits 11/16" (17.5mm) Hole, Used with 1034, 1154, 1157 Bulbs (F32Z-13K371-D, F42Z-13K371-D) <table><tr><td>American Motors</td><td>1965-58</td></tr><tr><td>Mercury</td><td>1976-60</td></tr></table>	American Motors	1965-58	Mercury	1976-60	 6S1007 Back Up Light Socket Single Contact Socket Assembly, Positive-grip, heavy duty plastic housing and sealed-in blade contacts. An exact replacement for the original backup light socket as used on late model GM Cars., (Bayonet Base) Bulb No. 1156 (4486949, 4486949, J4486949) <table><tr><td>Buick</td><td>1975-70</td></tr><tr><td>Chevrolet</td><td>1968-68</td></tr><tr><td>Dodge</td><td>1985-75</td></tr><tr><td>Ford</td><td>1977-73</td></tr><tr><td>Oldsmobile</td><td>1969-68</td></tr><tr><td>Plymouth</td><td>1983-78</td></tr><tr><td>Pontiac</td><td>1981-61</td></tr></table>	Buick	1975-70	Chevrolet	1968-68	Dodge	1985-75	Ford	1977-73	Oldsmobile	1969-68	Plymouth	1983-78	Pontiac	1981-61	 6S1015 Combination Light Socket, Socket Assembly Double Contact Flush Mount Snap-in Base with Socket, Fits 1 1/8" hole. For all GM cars. Parking, directional, taillights and stoplights. Orig. No. 5947900. Use with bulb no. 1034, 1154, 1158. (5947900)
American Motors	1965-58																				
Mercury	1976-60																				
Buick	1975-70																				
Chevrolet	1968-68																				
Dodge	1985-75																				
Ford	1977-73																				
Oldsmobile	1969-68																				
Plymouth	1983-78																				
Pontiac	1981-61																				
 1P1126 Socket Assembly Single Contact, Phenolic Disc -- Pigtail wire assembly with terminals attached for standard base sockets., (Bulb Nos. 63, 67, 81, 89, 93, 209, 1003, 1073, 1129, 1133, 1141, 1156) (88861015)	 6S1001 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, Spring clips for snap fit in 7/8" to 1 1/8" openings in many popular parking and tail lamp assemblies. (Indexed Base) Bulb Nos. 1034, 1157.	 6S1016 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, Spring clips for snap fit in 7/8" to 1 1/8" openings. For many popular cars & trucks. Parking and taillight assemblies., Use with bulb no. 64, 68, 82, 88, 90, 94, 210, 1004, 1130, 1158, 1176.	 6S1017 Tail Light Socket Double Contact Socket Assembly, For Parking and Taillights on AM and GM cars. Use with bulb no. 1034, 1154, 1157. <table><tr><td>Subaru</td><td>2004-00</td></tr></table>	Subaru	2004-00																
Subaru	2004-00																				
 1P1127 Socket Assembly Single Contact, Phenolic Disc. -- Pigtail wire assembly with terminals attached for miniature base sockets., (Bulb Nos. 51, 53, 55, 57, 57X, 1895) (88861047)																					

ELECTRICAL SOCKETS

 6S1018 License Plate Light Socket, Socket Assembly Single Contact Snap-in Socket Assembly, For license plate and instrument panel. For GM cars. Use with bulb no. 63, 67, 81, 89, 1003, 1073, 1129, 1133, 1141. (88861108)	 6S1027 Back Up Light Socket Socket Assembly, For Back-up Lights and Lower Taillights on Ford, Mercury (Orig. No. D3AZ-13410A) (Use bulb No. 1156) (3691072, 3764126, 3764579, D3AZ-13410-A, J3691072) Ford 1980-72 Mercury 1980-74	 6S1061 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, With adapter plate and Neoprene boot. Fits bulb No. 67, 89, 93, 97, 1003, 1073, 1141, 1156	 6S1090 Socket Assembly Single Contact Socket Assembly, Used for Map & Dome Lights, Fits bulb no. 67, 89, 93, 97, 1003, 1073, 1141 & 1156.
 6S1019 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, Spring clips for snap-in fit. For parking and taillights on most products. Use with bulb no. 1034, 1154, 1157.	 6S1028 Back Up Light Socket Three Wire Socket Assembly, For some applications clip 3rd wire when not needed. (8919916, 12013813, 12103813) Buick 1996-91 Cadillac 1992-92 Oldsmobile 1998-92 Pontiac 1994-92	 6S1062 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, With ground lead & 1 1/4" x 1 3/4" mounting plate. For stop, tail & turn lights. Fits bulb no. 1034, 1154, 1157.	 6S1098 Socket Assembly Sealed Beam Headlight Socket, (Used on H4645 & H4666 Sealed Beams) (88860530) Dodge 1993-91 Eagle 1991-90 Mitsubishi 1993-90
 6S1020 Combination Light Socket, Socket Assembly Single Contact Socket Assembly, Regular base for signal, park, stop and taillights. Use with lamp no. 63, 67, 81, 87, 89, 93, 209, 1003, 1073, 1129, 1133, 1141.	 6S1033 Back Up Light Socket Socket Assembly, For GM, Back-up, cornering and turn signal. (GM 12003878) Lamp. No. 1156, (12003878) Buick 1985-82 Chevrolet 1990-76 Oldsmobile 1980-77 Pontiac 1986-76	 6S1063 Combination Light Socket, Socket Assembly Double Contact Socket Assembly, With ground lead. Fits 11/16" Dia. hole. Fits bulb no. 1034, 1154, 1157.	ENGINE DIAGNOSTICS  3B1000 Engine Diagnostic Connector Jumper Key TROUBLE CODE KEY, Used on all late model GM & Ford vehicles to extract the trouble codes from the electronic control module., Two pronged construction with split front prong for GM products and special side and front prongs for Ford vehicles.
 6S1023 Back Up Light Socket Socket Assembly, with three color coded wires. For GM Products, Taillights, Turn, Stoplights and Back-up Lights on Pontiac cars, Taillights and Back-up Lights on Buick (Orig. No. 8909517), Use bulb No. 1154, 1157, 1930. (8909517, 12141260) Buick 1981-75	 6S1034 License Plate Light Socket Shielded License/Utility Light Socket	 6S1064 Socket Assembly, License Plate Light Socket Single Contact Socket Assembly, With ground lead. Fits 11/16" Dia. hole. For backup & license plate lights. Fits bulb no. 67, 89, 93, 97, 1003, 1073, 1141, 1156.	RELAYS  1M1384 Auxiliary Battery Relay Universal Continuous Duty Solenoid, 12 Volts, 3 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 12 Volts. Ford 1991-86
 6S1026 Tail Light Socket Socket Assembly, Use bulb No. 1156. (3588427, 3690736, 3764123, 8124663, D3AZ-13410-B, J3690736, J8124663) Ford 1980-72 Lincoln 1979-77 Mercury 1980-74	 6S1056 Combination Light Socket, Socket Assembly Single Contact Socket Assembly, Neoprene covered., Used for parking, signal, stop & taillights. Fits bulb no. 67, 89, 93, 97, 1003, 1073, 1141, 1156. (88861103)	 6S1079 Combination Light Socket, Socket Assembly Single Contact Socket, Metal Housing with 1 Wire, For Bulb No. 67, 89, 93, 97, 1003, 1073, 1141, 1156	 6S1082 Combination Light Socket, Socket Assembly Double Contact 'Offset' Socket, For signal, park, stop & tail lights. Used with mounting screws. Fits bulbs 198, 1016, 1034, 1154. (88860477)
	 6S1059 Combination Light Socket, Socket Assembly Single Contact Socket Assembly, Standard base. Fits 11/16" Dia. Hole., Fits bulb no. 67, 89, 93, 97, 1003, 1073, 1141, 1156.		

RELAYS

 1R1713 Multi-Purpose Relay, Horn Relay Universal Horn Relay, Heavy Duty 6 Volt Type Three Screw Terminals, This horn relay can be used for any 6 Volt, Three terminal application that does not require an internal resistor. Buick 1953-46 Cadillac 1952-50 Chevrolet 1954-42 Fargo 1955-50 Ford 1956-49 Jeep 1965-46 Lincoln 1955-52 Mercury 1955-49 Oldsmobile 1952-50 Pontiac 1954-49 Volkswagen 1965-62	 1R2266 Multi-Purpose Relay 50 Amp. 12 Volt, 5 Terminal, SPDT / Resistor Relay, Medium & HD Truck Applications	 1R2417 Multi-Purpose Relay 5 Terminal, 12 Volt, 70 Amp, SPDT, with mounting bracket	
	 1R2410 Multi-Purpose Relay 24 Volt, 20 Amp, 4 Terminal, SPST, with Resistor, with Bracket	 1R2418 Multi-Purpose Relay 5 Terminal, 12 Volt, 70 Amp, SPDT, with resistor, with mounting bracket	
	 1R2411 Multi-Purpose Relay 24 Volt, 20 Amp, 4 Terminal, SPST, Diode Suppressed, with Bracket	 1R2420 Multi-Purpose Relay 24 Volt, 10 Amp, 5 Terminal, SPDT, with Diode	
	 1R2412 Multi-Purpose Relay 24 Volt, 20 Amp, 4 Terminal, SPST, with Bracket	 1S5016 Multi-Purpose Relay Grounded Through Base, Replaces Style with Separate Ground Terminal	
 1R1715 Horn Relay, Multi-Purpose Relay Universal Horn Relay, 12 Volt Type Three Screw Terminals. This horn relay can be used for any 12 Volt, Three terminal application that does not require an internal resistor. (23500-89906, 26320-89900, 26320-89906, 86530-20020, 86530-20030, 86530-20031, 86530-20040, 1116781, 1116919, 1566350, 12339251) Buick 1956-53 Cadillac 1956-53 Checker 1963-60 Chevrolet 1962-55 Fargo 1958-56 Fiat 1966-62 Ford 1956-56 GMC 1956-55 International 1971-68 Jaguar 1968-67 Jeep 1971-55 Lincoln 1956-56 MG 1964-62 Mercedes-Benz 1970-62 Mercury 1956-56 Nissan 1970-66 Oldsmobile 1957-57 Opel 1972-66 Peterbilt 1978-75 Pontiac 1956-55 Volkswagen 1969-66 Volvo 1968-61	 1R2413 Multi-Purpose Relay 24 Volt, 20 Amp. SPDT, 5 Terminal, with Bracket. Diode Suppressed.	 7A3000 Multi-Purpose Relay Universal Type Bus & Truck Buzzer: 12 Volt, 2 Screw Terminals, for Truck Low Air Pressure Warning & Buzzer Rear Door Warning.	
	 1R2414 Multi-Purpose Relay 24 Volt, 20 Amp. SPDT, 5 Terminal, with Bracket.	 7A3001 Multi-Purpose Relay Buzzer with Warning Light, Interchangeable Red, White or Amber Lens, Used in applications where warning buzzer and light are needed., 2 Terminals, 12 volt	
	 1R2415 Multi-Purpose Relay 12 Volt, 70 Amp, 4 Terminal, SPST, With Resistor		
	 1R2416 Multi-Purpose Relay 12 Volt, 70 Amp, 4 Terminal, SPST, With Diode		

BUSHINGS

STARTER BUSHING  7A1012 I.D. -- 1.02, O.D. Barrel -- 1.18, O.D. Flange -- 1.29, L. Barrel -- .34, L. Overall -- .44 (9935940, 88921161) Audi 1972-69 Fiat 1982-79 Mercedes-Benz 1977-77 Porsche 1981-65 Volkswagen 1979-72	 7A1023 I.D. -- .49, O.D. -- .58, L. -- .55 (28111-51011, 88921166, 96051956) Chevrolet 1988-85 Toyota 1991-67	 7A1030 I.D. -- .43, O.D. -- .55, L. -- .51 (23319-M8010, 88921116, MD607741, N221-24-715) Dodge 1986-84 Mazda 1987-82 Mitsubishi 1989-83 Nissan 1988-86 Plymouth 1986-84	 7A1048 I.D. -- .50, O.D. -- .61, L. -- .40 (90099-10134, 88921172) Toyota 1991-80
 7A1014 This bushing also fits all clutch type starter drives., I.D. -- .562/.564 (9/16), O.D. -- .6285/.6305 (5/8), L. -- .740/.760 (3/4) (35038, 810620, 1938743) Buick 1985-40 Cadillac 1981-40 Chevrolet 1989-55 GMC 1989-72 Jeep 1960-59 Oldsmobile 1987-54 Pontiac 1981-70	 7A1026 I.D. -- .472, O.D. -- .601, L. -- .750 (3656382, 3656744, 3874817, 88921109) Chrysler 1987-85 Dodge 1987-72 Plymouth 1987-72	 7A1036 I.D. -- .49, O.D. -- .65, L. -- .41 (28131-20010, 88921165, D27Z-11052-A) Ford 1981-79 Toyota 1980-67	 7A1057 D.E. Starter Bushing, I.D. -- .629, O.D. -- .815, L. -- 1.462, Older Cars & Trucks (1CM-11135-A)
 7A1015 I.D. -- .50, O.D. -- .56, L. -- .617 (1839345, 88921160) Buick 1985-80 Cadillac 1985-46 Chevrolet 1989-78 GMC 1989-78 Oldsmobile 1985-78 Pontiac 1984-80	 7A1027 Starter (24-28), I.D. -- .502/.503 (1/2), O.D. -- .6285/.6295 (5/8), L. -- .724-.744 (47/64) (602454, 636845) Chrysler 1956-46 Plymouth 1942-35	 7A1039 Bushings - Starter, I.D. -- .50, O.D. -- .63, L. -- .59 (23319-H3300, 23319-N3300, 88921169) Nissan 1988-70	 7A1059 D.E. Starter Bushing, I.D. -- .628, O.D. -- .815, L. -- .703, Older Cars & Trucks (B9AF-11135-A)
 7A1016 I.D. -- .762, O.D. -- .879, L. -- .72 (1894023) Buick 1985-80 Cadillac 1985-78 Chevrolet 1991-78 GMC 1991-78 Oldsmobile 1985-79 Pontiac 1984-82	 7A1028 I.D. -- .39, O.D. -- .55, L. -- .48 (23319-M8011, 88921115, E7GZ-11135-A, E356-18-X01, MD607892) Dodge 1992-86 Eagle 1993-90 Ford 1997-87 Mazda 1994-86 Mitsubishi 1994-85 Plymouth 1993-86	 7A1040 I.D. -- .48, O.D. -- .63, L. -- .47 (23331-N3300, 88921168) Nissan 1989-77	 7A1062 C.E. Starter Bushing, I.D. -- .552, O.D. -- .689, L. -- .783, Older Cars & Trucks (1867610, 1872678, 1940385, 2525294, 4047348, C6TZ-11052-A)
	 7A1029 I.D. -- .47, O.D. -- .63, L. -- .37 (36172-11130, 36182-21740, 61822-1740, 88921114, E7GZ-11052-A, E356-18-X81, MD607903) Dodge 1992-86 Eagle 1993-93 Ford 1991-87 Mazda 1988-88 Mercury 1994-88 Mitsubishi 1994-85 Plymouth 1992-86	 7A1042 I.D. -- .43, O.D. -- .59, L. -- .59 (23319-21000, 88921170) Nissan 1974-68	 7A1063 D.E. Starter Bushing, I.D. -- .626, O.D. -- .756, L. -- .781, Older Cars & Trucks (1942258, C3TZ-11135-A, C3TZ-11135-B)
		 7A1044 I.D. -- .49, O.D. -- .63, L. -- .46 (23338-16E01, 88921176) Nissan 1989-85	 7D1096 I.D. -- .64, O.D. -- .75, L. -- .58





CIRCUIT BREAKERS

CIRCUIT BREAKERS			
	3C1005 15 Amp (88921216)		3C1016 Single Pole Thermal Type Breaker, 6 Amp at 12 Volts, Sealed Metal Base
	3C1008 Single Pole Thermal Type Breaker, 6 Amp at 12 Volts, Metal Base		3C1029 40 Amp (88921220)
	3C1010 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Metal Base		3C1039 15 Amp (88921221)
	3C1011 Single Pole Thermal Type Breaker, 15 Amp at 12 Volts, Metal Base		3C1040 Single Pole Thermal Type Breaker, 6 Amp at 12 Volts, Metal Base with 90° Mounting Bracket
	3C1012 Single Pole Thermal Type Breaker, 30 Amp at 12 Volts, Metal Base		3C1041 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Metal Base with 90° Mounting Bracket
	3C1013 Single Pole Thermal Type Breaker, 40 Amp at 12 Volts, Metal Base		3C1043 Single Pole Thermal Type Breaker, 50 Amp at 12 Volts, Metal Base with 90° Mounting Bracket
	3C1014 25 Amp (88921218)		3C1048 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Plastic Base with Straight Mounting Bracket
	3C1015 Single Pole Thermal Type Breaker, 50 Amp at 12 Volts, Metal Base		3C1055 Single Pole Thermal Type Breaker, Metal Base with Straight Mounting Bracket, 6 Amp at 12 Volts
			3C1056 Single Pole Thermal Type Breaker, 8 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1057 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1058 Single Pole Thermal Type Breaker, 15 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1059 Single Pole Thermal Type Breaker, 20 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1060 Single Pole Thermal Type Breaker, 25 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1061 Single Pole Thermal Type Breaker, 30 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1062 Single Pole Thermal Type Breaker, 40 Amp at 12 Volts, Metal Base with Straight Mounting Bracket
			3C1063 Single Pole Thermal Type Breaker, 6 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket
			3C1065 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket
			3C1018 Single Pole Thermal Type Breaker, 10 Amp at 12 Volts, Sealed Metal Base
			3C1019 30 Amp (12323003)
			3C1020 Single Pole Thermal Type Breaker, 15 Amp at 12 Volts, Sealed Metal Base
			3C1021 Single Pole Thermal Type Breaker, 20 Amp at 12 Volts, Sealed Metal Base
			3C1022 Single Pole Thermal Type Breaker, 25 Amp at 12 Volts, Sealed Metal Base
			3C1023 Single Pole Thermal Type Breaker, 30 Amp at 12 Volts, Sealed Metal Base
			3C1024 35 Amp (12327008, 88921219)
			3C1025 Single Pole Thermal Type Breaker, 40 Amp at 12 Volts, Sealed Metal Base





CIRCUIT BREAKERS

CIRCUIT BREAKER  3C1066 Single Pole Thermal Type Breaker, 15 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket	 3C1082 Stud/Blade Type Breaker, 30 Amp at 12, 24 Volts, Contains (1) Stud, (2) Blade Terminals, 90 Degree Mounting Bracket	 3C1100 30 Amp (ATO Type, Self-Resetting Fuse.) (88921230)	 3C1112 Mini Style Plug-in, 10 Amp
 3C1067 Single Pole Thermal Type Breaker, 20 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket	 3C1087 Blade Type Breaker, 4 Amp at 12 Volts, Contains (2) Blade Terminals	 3C1101 Blade Type Breaker, 6 Amp at 12 Volts, (2) Blade Terminals, Straight Mounting Bracket	 3C1116 90° Clip Type, 10 Amp
 3C1069 Single Pole Thermal Type Breaker, 30 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket	 3C1088 Blade Type Breaker, 8 Amp at 12 Volts, Contains (2) Blade Terminals	 3C1103 Blade Type Breaker, 20 Amp at 12 Volts, (2) Blade Terminals, Straight Mounting Bracket	 3C1118 90° Clip Type, 15 Amp
 3C1070 Single Pole Thermal Type Breaker, 40 Amp at 12 Volts, Sealed Metal Base with Straight Mounting Bracket	 3C1090 20 Amp (88921222)	 3C1104 40 Amp (ATO Type, Self-Resetting Fuse)	 3C1119 90° Clip Type, 20 Amp
 3C1071 Single Pole Thermal Type Breaker, 10 Amp at 24 Volts, Metal Base with Straight Mounting Bracket	 3C1091 Blade Type Breaker, 10 Amp at 12, 24 Volts, (2) Blade Terminals, 90° Mounting Bracket	 3C1105 Maxi Style Plug-in, 20 Amp	 3C1120 90° Clip Type, 30 Amp
 3C1072 Single Pole Thermal Type Breaker, 15 Amp at 24 Volts, Metal Base with Straight Mounting Bracket	 3C1097 Ford 1979, Ford Trucks 1979, Lincoln 1979, Mercury 1979, 20 Amp (9DAZ-11452-B, 88921227, D9AZ-11452-B)	 3C1106 Maxi Style Plug-in, 30 Amp	 3C1121 90° Clip Type, 40 Amp
 3C1073 Single Pole Thermal Type Breaker, 20 Amp at 24 Volts, Metal Base with Straight Mounting Bracket	Ford 1989-80  3C1098 20 Amp, 12 Volts, Metal Base, Single Pole Thermal Type Breaker (88921228)	 3C1108 ATO Style Plug-in, 10 Amp	 3C1125 Single Pole Thermal Type Breaker, 30 Amp, Push Button - Manual Reset
 3C1074 Single Pole Thermal Type Breaker, 30 Amp at 24 Volts, Metal Case with Straight Mounting Bracket	 3C1099 25 Amp, 12 Volts, Metal Base, Single Pole Thermal Type Breaker (88921229)	 3C1109 ATO Style Plug-in, 15 Amp	 3C1126 Single Pole Thermal Type Breaker, 40 Amp, Push Button - Manual Reset
		 3C1111 ATO Style Plug-in, 40 Amp	 3C1127 Single Pole Thermal Type Breaker, 50 Amp, Push Button - Manual Reset




CIRCUIT BREAKERS

CIRCUIT BREAKER			
 3C1128 Single Pole Thermal Type Breaker, 15 Amp, Push Button - Manual Reset, 90° Mounting Bracket	 3C1141 Hi-Amp Auto Reset, 120 Amp, Surface Mount	 3C1163 Sealed Circuit Breaker, 30 Amp, 12 ga. Red Looped Wire	 3C1174 Buss Bar for Circuit Breakers, 6 3/8' Long, Used with Studed Breakers
 3C1129 Single Pole Thermal Type Breaker, 20 Amp, Push Button - Manual Reset, 90° Mounting Bracket	 3C1148 Hi-Amp Manual Reset, 60 Amp, Surface Mount	 3C1164 Sealed Circuit Breaker, 40 Amp, 12 ga. Brown Looped Wire	 3C1176 8 Amp (ATO Type, Self-Resetting Fuse) (88921232)
 3C1130 Single Pole Thermal Type Breaker, 25 Amp, Push Button - Manual Reset, 90° Mounting Bracket	 3C1150 Hi-Amp Manual Reset, 100 Amp, Surface Mount	 3C1165 Sealed Circuit Breaker with Mounting Bracket, 10 Amp, 16 ga. Green Looped Wire	 3C1177 10 Amp (ATO Type, Self-Resetting Fuse) (88921233)
 3C1132 Single Pole Thermal Type Breaker, 40 Amp, Push Button - Manual Reset, 90° Mounting Bracket	 3C1151 Hi-Amp Manual Reset, 120 Amp, Surface Mount	 3C1166 Sealed Circuit Breaker with Mounting Bracket, 15 Amp, 16 ga. Yellow Looped Wire	 3C1178 12 Amp (ATO Type, Self-Resetting Fuse) (88921234)
 3C1134 ATO Type Breaker, 10 Amp, Push Button - Manual Reset	 3C1152 Hi-Amp Manual Reset, 150 Amp, Surface Mount	 3C1167 Sealed Circuit Breaker with Mounting Bracket, 20 Amp, 14 ga. Black Looped Wire	 3C1179 15 Amp (ATO Type, Self-Resetting Fuse) (88921235)
 3C1136 ATO Type Breaker, 20 Amp, Push Button - Manual Reset	 3C1158 Sealed Circuit Breaker, 6 Amp, 16 ga. Blue Looped Wire	 3C1169 Sealed Circuit Breaker with Mounting Bracket, 30 Amp, 12 ga. Red Looped Wire	 3C1180 20 Amp (ATO Type, Self-Resetting Fuse) (88921236)
 3C1138 Hi-Amp Auto Reset Breaker, 60 Amp, Surface Mount	 3C1159 Sealed Circuit Breaker, 10 Amp, 16 ga. Green Looped Wire	 3C1170 Sealed Circuit Breaker with Mounting Bracket, 40 Amp, 12 ga. Brown Looped Wire	 3C1181 25 Amp (ATO Type, Self-Resetting Fuse) (88921237)
 3C1139 Hi-Amp Auto Reset Breaker, 80 Amp, Surface Mount	 3C1161 Sealed Circuit Breaker, 20 Amp, 14 ga. Black Looped Wire	 3C1172 6 Gang Circuit Breaker Mounting Bracket, 8 7/16' Long	 3C1182 40 Amp (12322999)
 3C1140 Hi-Amp Auto Reset, 100 Amp, Surface Mount	 3C1162 Sealed Circuit Breaker, 25 Amp, 14 ga. White Looped Wire	 3C1173 8 Gang Circuit Breaker Mounting Bracket, 10 1/4' Long	






CIRCUIT BREAKERS

CIRCUIT BREAKER					
	3C1184 10 Amp (88921239)		3C1192 30 Amp (88921247)		3C1202 Non-Recycling, 30 Amp (50049-C1)
	3C1185 15 Amp (88921240)		3C1193 15 Amp snap-in breaker box for cars, trucks & recreational vehicles. Contains six circuit breakers installed in molded plastic with case cover. Two 5/16" mounting holes on 7 3/8" centers. (88921248)		3C1203 20 Amp (88921217, 88921249) Ford 1991-90
	3C1186 20 Amp (88921241)		3C1195 Circuit breaker tray for cars, trucks & buses., Two 7/32" mounting holes on 3" centers. Accepts up to 4 snap-in circuit breakers. (88921250)		3C1204 Manual Reset Circuit Breaker, 10Amp at 32VDC, 250VAC
	3C1187 30 Amp (88921242)		3C1196 8 Amp (88921251)		3C1205 Manual Reset Circuit Breaker, 20Amp at 32VDC, 250VAC
	3C1188 6 Amp (88921243)		3C1197 Ford Trucks 1979, Lincoln 1979, Mercury 1979, Ford 1979, 6 Amp Used on Wiper/Washer Applications (88921225, D9ZB-14526-AA, D9ZZ-14526-H) Ford 1991-83		3C1206 Manual Reset Circuit Breaker, 25Amp at 32VDC, 250VAC
	3C1189 10 Amp (88921244)				3C1207 Manual Reset Circuit Breaker, 30Amp at 32VDC, 250VAC
	3C1190 15 Amp (88921245)		3C1200 Non-Recycling, 20 Amp (50047-C1)	FUSE BLOCK	
	3C1191 20 Amp (88921246)		3C1201 Non-Recycling, 25 Amp		6G1005 Seven gang fuse holder., Accepts 1/4" Dia. x 1 1/8" Long Glass Fuses., with Blade Terminals
					6G1007 Nine gang fuse holder., Accepts 1/4" Dia. x 1 1/8" Long Glass Fuses., with Blade Terminals
					6G1010 Twelve gang fuse holder., Accepts 1/4" Dia. x 1 1/8" Long Glass Fuses., with Blade Terminals
					6G1011 Heavy Duty 30 Amp Single Inline Fuse Holder, 12 ga. Wire
					6G1012 15 Amp Inline Glass Fuse Holder
					6G1013 9 Amp Inline Glass Fuse Holder
					6G1014 4 Amp Inline Glass Fuse Holder
					6G1017 Panel Mount Glass Fuse Holder with Straight Terminals
					6G1018 30 Amp ATO Type Fuse Holder with Cover
					6G1019 7.5, 10, 15 & 20 Amp ATO Type Fuse Holder., 16 ga. Wire
					6G1021 15 Amp ATO Type Fuse Holder with Cover

FUSE BLOCKS

FUSE BLOCK			
 6G1022 Single general purpose heavy duty fuse holder with "F" clips. 18' 16 gauge loop can be cut to fit as necessary. (88922392)	 6G1030 Flat Type (ATO) Inline Fuse Holder -- 30 Amp (Includes Fuse) Two 4' leads. (88922375)	 6G1039 Four gang fuse block. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 2 3/4' x 2 1/4' (88922384)	 6G1045 Twelve gang fuse block. Use with SFE30 Amp or 3AG type fuses. Gangs separate for single gang use. 1/8' hole in each gang. One piece terminal clip. (88922390)
 6G1023 Inline Fuse Holder 20 Amp (Includes Fuse) (88922393)	 6G1032 One gang fuse block. Use with SFE30 Amp or 9AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator -- 1 1/4' x 2 1/4' (88922377)	 6G1040 Six gang modular fuse block with "Common Hot-Feed" Bus Bar. Used with ATO type fuses. Blocks snap together to create larger number of circuits. General purpose heavy duty. (88922385)	 6G1046 6 Gang Modular Fuse Block, "Common Hot-Feed Bus Bar", Used with ATC Fuses - 30 Amp Max.
 6G1024 Single general purpose heavy duty fuse holder. 18' 12 gauge loop can be cut to fit as necessary. (88922394)	 6G1035 Five gang fuse block. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 3 1/2' x 2 1/4' (88922380)	 6G1041 Four gang Modular fuse block. Rated 3-30 Amp One 10 gauge feed wire and four 12 gauge fused takeoffs. General purpose heavy duty. (88922386)	 6G1047 10 gang modular fuse block, "Common Hot-Feed Bus Bar", Used with ATC Fuses - 30 Amp Max.
 6G1025 Flat Type (ATO) Inline Fuse Holder -- 20 Amp (Includes Fuse) Two 4' leads. (88922395)	 6G1036 One gang fuse block. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 7/8' x 2 1/4' (88922381)	 6G1042 Common "Hot-Feed" Connections. Six gang fuse block with solid brass bus bar. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 5 3/4' x 2 1/4' (88922387)	 6G1049 4 Gang Fuse Holder with Grounded Buss Bar, Used with ATO Type Fuses (88922379)
 6G1026 Flat Type (ATO) Inline Fuse Holder -- 10 Amp (Includes Fuse) Two 4' Leads. (88922396)	 6G1037 Two gang fuse block. Use with SFE30 Amp or 9AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 1 1/4' x 2 1/4' (88922382)	 6G1043 Three gang fuse block. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 2' x 2 1/4' (88922388)	 6G1050 8 Gang ATC Type Fuse Holder
 6G1027 Single sealed fuse holder with latching silicone seals. Two 9' 12 gauge leads. (88922397)	 6G1038 Six gang fuse block. Use with SFE20 Amp or 3AG type fuses. Phosphor bronze fuse clips, nickel plated. Hard fiber insulator base -- 4 1/4' x 2 1/4' (88922383)	 6G1044 Six gang fuse block. Use with SFE30 Amp or 3AG type fuses. Gangs separate for single gang use. 1/8' hole in each gang. One piece terminal clip. (88922389)	 6G1051 10 Gang ATC Type Fuse Holder, 30 Amp. Max per Circuit Output Terminals, 150 Amp. Max Input Stud Terminal.
 6G1028 Inline Fuse Holder. Accommodates many different size fuses. For 6 and 12 Volt applications. Supplied without fuse. (88922398)			 6G1052 12 Gang ATC Type Fuse Holder
			 6G1053 18 Gang ATC Type Fuse Holder

FUSE BLOCKS

FUSE BLOCK			IGNITION COIL
 6G1054 4 Gang Fuse Holder, Used with SFE 20 or 3AG (AGC) Type Fuses, Solid Brass Buss Bar	 6G1081 Universal, 6 Fuse AGC Fuse Holder	 1S2811 Toggle Boot allows Toggle Handle of any length to protrude., Accommodates all toggle lever Dia. from 5/32" - 1/4".	IGNITION COIL  5C1019 Universal 12 Volt Coil: Used on most import products with 12 Volt system with Internal resistor.
 6G1055 5 Gang Fuse Holder, Used with SFE 20 or 3 AG (AGC) Type Fuses, Solid Brass Buss Bar	FUNCTIONAL FLUID, LUBRICANT, GREASE (INCLUDING ADDITIVES)	HORNS ACCESSORY HORN	(021 905 115A, 043 905 115A, 043 905 115B, 043 905 115C, 73 08 604, 85 22 328, 88 04 783, 113 905 115C, 113 905 115E, 113 905 115H, 311 905 115A, 311 905 115B, 311 905 115C, 0710-18-100, 0710-18-100B, 0820-18-100D, 0823-18-100, 0866-18-100A, 1524-18-100A, 22433-14800, 22433-14805, 22433-14806, 22433-14811, 22433-14815, 22433-14816)
 6G1058 Eight gang fuse holder with buss bar., Uses SFE 20 or 3AG (AGC) fuses.	ELECTRICAL LUBRICANT  9A1001 DIELECTRIC GREASE, Used on Ford modules to protect the sockets & terminals from corrosion and oxidation. Packed (2) to a box.	1H1001 Universal Mount LOW NOTE HORN, 12 Volt negative ground. (1892163, 1892164, 1892241, 1892246, 1999070, 1999141, 1999161, 1999162, 1999192, 1999222, 1999240, 1999262, 1999268, 1999275, 1999713, 1999717, 1999718, 1999729, 1999730, 1999824, 1999825, 1999867, 2029365, 9000265, 10456323)	AC 1963-55 Abarth 1969-60 Alfa Romeo 1982-54 Allard 1954-46 Alvis 1958-46 American Motors 1958-58 Armstrong-Siddeley 1960-45 Aston Martin 1971-50 Austin 1969-50 Austin Healey 1970-58 BMW 1972-71 Bentley 1992-59 Citroen 1972-50 Crosley 1952-50 DAF 1973-59 Daimler 1959-50 Dellow 1959-51 Fiat 1978-50 Ford 1964-51 Hillman 1967-50 Honda 1973-69 Hudson 1957-56 Humber 1967-46 International 1965-53 Jaguar 1971-49 Jeep 1972-66 Jensen 1976-72 Lamborghini 1988-80 Land Rover 1974-50 Lotus 1979-61 MG 1975-45 Marcos 1972-70 Mazda 1977-72 Mercedes-Benz 1966-50 Metropolitan 1962-54 Morgan 1970-63 Morris 1971-50 NSU 1972-68 Opel 1975-66 Peugeot 1987-55 Plymouth 1973-56 Porsche 1976-48 Reliant 1968-62 Renault 1984-68 Riley 1963-50 Rover 1969-50 Saab 1973-56
 6G1061 Ten Place Fuse Holder with Buss Bar. Uses SFE 20 or 3AG (AGC) fuses.	 9A1002 HEATSINK COMPOUND, Used on most GM and Ford control modules as a heat dissipating compound. Compound is spread onto the mounting surface of the module prior to installation. Packed (2) to a box.	 1H1003 Universal Import Low Note - 1 Wire., Universal Import Low Note - 2 Wire.	
 6G1063 Twelve gang fuse holder., Uses SFE 20 or 3AG (AGC) fuses.	 9A1026 ELECTRICAL CONTACT ENHANCER, (15ml dropper bottle)	 1H1004 Universal Import High Note - 1 Wire., Universal Import High Note - 2 Wire.	
 6G1064 Inline Fuse Holder 14 Amp (Includes Fuse) (88922391)	SILICONE GREASE  9A1003 SILICONE PROTECTIVE COMPOUND, (2oz., 56g. Tube), Apply into spark plug boots, female terminal cavities in primary wire connectors, and on rotor electrode (vane).	BACK UP ALARM  7A3002 Used on campers, motorhomes, fork lifts, and other positive or negative ground industrial equipment., Made of high impact non-corroding plastic., Mounting vertical or horizontal on two .300" dia. holes on 3.25" centers., 97db, 12-36 spike protected volts,	
FUSE HOLDER  6G1079 Universal, 10 Amp. Inline ATO Fuse Holder with Fuse	HARDWARE, FASTENERS AND FITTINGS		
 6G1080 Universal, 20 Amp. Max. ATO Inline Fuse Holder	TOGGLE SWITCH BOOT  1S1655 Flexible Plastic Boot for Bat Handle Toggle Switches., Provides Moisture Barrier. 1.15" long x .66" dia. (88922285)		

IGNITION COIL

[illegible]

IGNITION COIL

IGNITION COIL	RADIO CAPACITOR	SWITCHES AND SOLENOIDS	
 5C1325 Ford Tractor, 6 Volt (12337165, 88921414, E5PS-12024-AA) Ford 1942-42	 1B1011 Universal Type, for noise suppression at generator and voltage regulator, 4-1/2" Lead Length (1935729, 88921511)	 1S1697 Axle Terminal Block. Controls the 2-speed electric axle shift. Fiber insulator base with two rings assembled to the studs. Mounted in the 2-speed axle shift motor housing. (1508404, 88922429, B2Q-4107-A) Fargo 1961-55 Ford 1990-76	 1S1674 Universal Failsafe Ignition Interrupt Switch for Marine Applications, Supplied with 37" Straight Lanyard with Stainless Steel Belt Hook., 4 Male Blade Terminals, 12 Volt - 20 Amp
 5C1331 12 Volt. Use with External Resistor or where resistance wire is an integral part of wiring harness., To Replace coils with "D" Shaped Terminals, AMC 1967-1958, Checker Motors 1974-1958, Chrysler 1978-1956, Dodge 1978-1956, Dodge Trucks 1978-1964, Ply DeTomaso 1981-81	 6R1098 Universal 5.5 Ohm Ignition Ballast Resistor	 1S15883 Universal Switch, Double Pole, Double Throw, Push/Pull Type	 1S2835 Universal Ignition & Starter Switch., Used for Key- Starter Equipment, 3 Screw Terminals, Panel Mount: 13/16"-1" Diameter up to 1" Thick, 3 Position: Off-Ignition-Start, Furnished with Chrome-Plated Face Nut and 2 Keys (88921892)
 5C1607 Briggs & Stratton and Jacobsen Engines	 1S1002 Horn button for flat surface mounting. Plastic button, chrome plated. Rated 5 Amp at 12 Volts. (88922442)	 1S1671 Vapor Proof Battery Selector & Disconnect Switch., Includes 2 Green Pilot Lights to Indicate which Battery is in use., Rating: 310 Amp Continuous Duty, 500 Amp Intermittent Duty., Panel Mount - 3 5/16" Diameter through Panel., Selector Marked: Battery 1-B (88922349)	 1S2846 Two Terminal, Two Position "off-on", Will fit 13/16" to 1" hole and any dash up to 1" thick, Used for locking ignition and other circuits which must be tamper proof. Furnished with chrome face nut and two keys. (88922232)
LIGHTING - INSTRUMENTATION DASH INDICATOR LIGHT SET	 1S1003 Horn button with clamp-on bracket for steering column mounting. Steel shell. Chrome plated. Plastic button. (88922443)	 1S1677 Vapor Proof Battery Selector & Disconnect Switch. Rating: 310 Amp Continuous Duty, 500 Amp Intermittent Duty, Surface Mount - 4 Hole Mounting on 5 1/2" Centers. Selector Marked: Battery 1-Both-Battery 2, Panel Mount - 3 5/16" Diameter Mounting Hole. 6-36 (88922352)	 1S4936 Magneto Ignition & Starter Switch, 4 Position: ACC-Off-On-Start, 4 Screw Terminals, Magneto Grounded in Off Position (88921890)
 1S1006 Universal Blue Indicator Light, Mounts into 1/2" Hole	 1S1004 Horn button with clamp-on bracket for steering column mounting. Extra large plastic button permits fingertip control -- no dead spot -- contact made at point. Rated 5 amps at 12 Volt (88922444)	IGNITION SWITCH  1S1672 Universal Failsafe Ignition Interrupt Switch for Marine Applications, Supplied with 58" Red Coiled Lanyard and Stainless Steel Belt Hook., Four Male Blade Terminals, 12 Volt - 20 Amp.	 1S5204 Older Tractors (1996478, 1996479, 88922125)
 1S1007 Universal Green Indicator Light, Mounts into 1/2" Hole			 1S5227 Mechanical Starter Switch - Used on D.R. Starting Motor 1107634, Chevrolet Truck\1959-1955, GMC\1956-1955, (Can.)\1959-1955 (1930496)
 1S1008 Universal Amber Indicator Light, Mounts into 1/2" Hole			Chevrolet 1959-55 GMC 1959-55
 1S8314 Universal Green Indicator Light, Two Blade Terminals, 12 Volt			

SWITCHES AND SOLENOIDS

IGNITION SWITCH			
 1S6029 Universal Starter Switch, Special Mechanism will not allow key to be turned to "START" position without going to "OFF" position, 4 Position: ACC-Off-On-Start, Mounting Stem: 7/16" Long x 3/4" Dia., Rating: 8 Amp 12 Volt Ignition Circuit, 30 Amp 12 Volt St	 1S6133 Universal Starter Switch, Three stud terminals, double throw. Key removable in "off" position only., Adaptable to any hole from 3/4" to 1" diameter and any type dash up to 3/4" thickness. (88922134)	 1S6510 Universal Starter Switch, Two Screw Terminals, Two Position ON/OFF, 1/2" Dia. x 1/2" Long Mounting Stem, Rating: 10 Amp at 12 Volts (88921959)	 1S8303 Universal Magneto Ignition & Starter Switch, 3 Position, Push-to Choke Magneto Switch, Screw Terminals with Back-up Nut, Fits Most Mercury Inboard/Outboard Marine Applications.
 1S6030 Universal Starter Switch, 3 Position: Off-Ignition-Start, Rating: 10 Amp at 12 Volt Ignition Circuit, 5 Amp at 12 Volts Start Circuit, Mounting Stem: 7/16" Long x 5/8" Dia., 3 Screw Terminals with Weatherproof Seal (88921891)	 1S6147 Universal Ignition Starter Switch, Combination Ignition Starter switch. Four position. Four stud terminals. Adaptable to any hole from 11/16" to 15/16" diameter and any type dash up to 1/2" in thickness., Includes two keys. (12339178)	 1S6511 Universal Starter Switch, Three Position Off-Run-Start (Spring return from start), Three Screw Terminals, Keyed Alike (Key Removal in Off Position Only), For Extra Keys Use 1S10710 (88921960)	 1S10533 Ignition Starter Switch 3 Position On - Off - Start, 3 Terminals, 5/8 x 7/16 Mounting Stem, 12 Volt 5 Amp
 1S6033 Universal Magneto Starter Switch, 3 Position: Off-On-On & Lights, 4 Screw Terminals	 1S6148 Universal Keyed Alike Ignition Starter Switch, Combination Ignition Starter switch. Four position. Four stud terminals. Adaptable to any hole from 11/16" to 15/16" diameter and any type dash up to 1/2" in thickness. (12353052)	 1S6512 Universal Starter Switch, Three Position On (Reverse)-On/Off (Forward), (Reverse Position Spring Loaded to Off Position), Mounting Stem 5/8" Dia. x 5/8" Long., Rating: 10 Amp, All Switches Keyed Alike, For extra keys use 1S10710 (88921961)	 1S10969 Universal Starter Switch, Three position/double throw (ON/OFF/ON) switch furnished with two keys. All switches keyed alike. Especially designed for installations with automatic starting devices where a switch with two "on" positions is needed. 6-12-24 Vol
 1S6127 Ignition Starter Switch., Brass construction. Four position ACC, OFF, IGN & ACC, IGN & START. Spring returns to ignition & ACC after starting. Mounted stem is 13/16" Dia. x 1 7/32" long. Body Dia. 1 7/16", Key removable in "Off" position only. (88921899)	 1S6149 Lock Cylinder Nut & Boot, Provides protective cover for vehicles exposed to weather. (88921917)	 1S6514 Universal Starter Switch, 3 Position Off, Ign-ACC, Start, 5 Screw Terminals, Mounting Stem 1" Dia. x 23/64" Long. Must return to Off position before restarting., Rating: 5 Amp Start, 10 Amp Ign-ACC (88921963)	 1S11143 Universal Starter Switch. Diesel Applications. 4 Positions: Fuel, Off, Ign/Acc, Ign/Start
 1S6130 Universal Starter Switch, Two terminal single throw switch furnished with two keys., General purpose lock switch for replacement of older type ignition locks. Can be mounted in either 7/8" or 1" hole. (88921893)	 1S6152 Ignition Starter Switch 4 Position, 4 Term. Spec. Plug. Complete with Lock Cylinder and 2 Keys. (167609 R91, 344688 C91, 347002 C1, 929960, 931067, 931697, 946435, 947399, 1116513, 1116539, 1116613, 1116616, 12339179)	 1S7036 Mechanical Starter Switch, 300 Amp Intermittent; 160-220 Amp Continuous, 2 Position: Off-Momentary On, 2 Male Screw Terminals (6555330, 12336863)	 1S1658 Master Disconnect Switch, SPST Two Position On/Off, Two 3/8" Stud Terminals, Rating: 180 Amp Continuous Duty, 1000 Amp Intermittent Duty. Mounting Stem 3/4" Dia.
 1S6131 Universal Starter Switch, Three position/double throw (ON/OFF/ON) switch furnished with two keys., Especially designed for installations with automatic starting devices where a switch with two "on" positions is needed. (1116624, 12339180)	 1S6509 Ignition Starter Switch, Four Position ACC-OFF Ign, ACC Start., Anti-Start with O-Ring Seal, 3/4" Dia. x 7/16" Long Mounting Stem, Rating: 8 Amp @ 12 Volt Ignition, 30 Amp 12 Volt Start, For Spare Keys Use 1S10699	 1S8302 Universal Magneto Ignition Switch, 2 Position: On-Off, Mounting Stem 3/4" x 20 Thread, Magneto Grounded in Off Position	 1S2545 Four Terminal - Two Position (On/Off Switch), Mounting Stem 25/32" long, 3/4" Dia., (2) 3/8" x 24 Terminals and (2) 10/32" Terminals. Double Pole, Double Throw - Silver Contacts., Rating: Continuous "B" Terminal - 125 Amp, 20 Amp at "F" Terminal. (88922436)

SWITCHES AND SOLENOIDS

MASTER DISCONNECT SWITCH  1S2556 Two Terminal - Two Position Heavy Duty with Lock Cylinder & Key (On/Off Switch), Key removable in "Off" position only., Mounting Stem 25/32" long, 3/4" Dia., (2) 3/8" x 24 Terminals. Single Pole Single Throw - Silver Contacts.. Rating: Continuous - 175 Amp. (88922297)	MOMENTARY PUSH BUTTON SWITCH  1S6529 Heavy Duty, 2 Terminal, Insulated Base, Box Type for 5/8" mounting. (700502, 903437, 1996053, 1996055) Chevrolet 1952-49 Dodge 1948-46 Oldsmobile 1952-50 Pontiac 1952-49	 1S6530 Push Button Switch, (Yellow Button), Two Position On/Off, Two Blade Terminals, Mounting for 1/2" Dia. Hole, Rating: 3 Amp at 12 Volts (88924525)	 1S10526 Boot for Push-Button Switch 1S3295
 1S2566 Four Terminal - Two Position Weatherproof (On/Off Switch), Supplied with "O" Ring Seal., Mounting Stem 17/32" Long, 3/4" Dia., (2) 3/8" x 24 Terminals and (2) 10/32" Terminals. Double Pole, Single Throw - Silver Contacts. Rating: Continuous - 175 Amp. Rat (88922288, F62Z-9F472-CA)	PUSH BUTTON SWITCH  1S2824 Push Button, Two terminals for 6 or 12 Volt application, Mounting Stem 1" long, 5/8" Dia, Supplied with chrome plated button and face nut. Rating: 25 Amp at 6 Volt, 15 Amp 12 Volt. (3755357, 88924510)	 1S6531 Push Button Switch, (Black Button), Two Position On/Off, Two Blade Terminals, Mounting for 1/2" Dia. Hole, Rating: 3 Amp at 12 Volts (88924526)	 1S16253 Universal, 2 Terminal, 15 Amp
 1S8308 Disconnects Battery & Field Circuits, 2000 Amp Intermittent - 300 Amp Continuous	 1S3294 Momentary ON Push Button Switch, Moisture Proof Cap, Rating: 15 Amps at 12 Volts, 25 Amps at 6 Volts, Stem: 5/8" Dia.	 1S6533 Push Button Switch, (Blue Button), Two Position On/Off, Two Blade Terminals, Mounting for 1/2" Dia. Hole, Rating: 3 Amp at 12 Volts (88924528)	PUSH PULL SWITCH  1S1938 6 Volt Heavy Duty, Three Screw Terminals - Two Position Switch (On/Off), Furnished with 10 & 20 Amp Fuses. (88924558)
 1S8310 Disconnects Battery Circuit Only	 1S3295 Push Button Switch, Two Position Off/Momentary On/On, With Button Depressed Spring Returns to Off, (2) 18 Gauge Lead wires 11" long, Mounting Stem 5/8" Dia. x 1" Long	 1S6534 Push Button Switch, (Green Button), Two Position On/Off, Two Blade Terminals, Mounting for 1/2" Dia. Hole, Rating: 3 Amp at 12 Volts (88924529)	 1S2807 Two Screw Terminals, for 6 Volt or 12 Volt applications., Mounting Stem 1" long x 3/8" Dia., Brass hex backup nut, brass washer, brass chrome plated face nut., Includes a 3/4" chrome knob and stainless steel spring. (88924560)
 1S10697 Two Position: On/Off, 175 Amp Continuous Duty, 800 Amp Intermittent Duty, 2 Screw Term., 3/4" dia. x 1 13/32" long Stem	 1S5216 Mechanical Starter Switch (277628, 820052, 1858200) Chevrolet 1948-42	 1S6537 Universal Push Button Switch, Extra heavy duty for trucks, tractors, farm, marine, industrial applications. Popular for diesel starting, Weather and dust proof cap. For panel mounting 60 amp. at 12 Volts. -- 40 Amp at 24 Volts., Silver Contacts. (1996097, 12360765)	 1S3502 3 Ohms resistance for 12 Volt systems. Three Position (Off-High-Low) switch. Two screw terminals. Mounting stem 1/2" long, 7/16" Dia. Ivory Taenite knob. Push-pull type. (88922286)
 1S10940 Four Terminal - Two Position, On/Off Switch, (2) 3/8" Terminals, (2) 10/32" Terminals, For 6 Volt to 36 Volt Systems, Hencol Keys	 1S6528 Universal Push Button Switch, Round Insulated Base, 2 Terminal, for 7/8" mounting. (88922406)	 1S10524 Push Button. 16 Amp. 12 Volt., Red Illumination	 1S3610 European Styled Push-Pull Switch. Black Body, Rating: 16 Amp at 12 Volts, Two Position On/Off, Two Clamp Terminals. (88924564)

SWITCHES AND SOLENOIDS

PUSH PULL SWITCH	ROCKER TYPE SWITCH		
 154030 EXTRA HEAVY DUTY 6-28 VOLTS-75 AMP. D.C. 2 POSITION, SPST ON-OFF Metal Diecast Body, CHROME PLATED Metal Knob, Copper Terminals, Brass Terminal Screws. Mounting Stem 5/8" long, 15/32" Dia. Overall Dimensions 3 1/8" x 1 1/2" x 9/16". (12321931)	 151669 Illuminated Rocker Switch & Pan, Contains one Amber Rocker Switch & Panel, On/Off (Illuminated When On), Kit Contains Mounting Screws (88924531)	 152915 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, Red Independent Pilot Light, Rating: 25 Amp at 12 Volts	 152923 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Amber/Red Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
 154407 Universal Push Button Switch, Used for Door Jamb Switch on School Buses, Mounting Stem: 7/16" Dia., Rating: 30 amps, Contact made when plunger is out.	 152908 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 3 Blade Terminals, Amber Dependent Pilot Light, Rating: 25 Amp at 12 Volts	 152916 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Amber/Amber Dependent Pilot Lights, Rating: 25 Amp at 12 Volts	 152924 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Clear/Green Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
 154465 Two Screw Terminals -- Push Button Switch, Mounting Stem 1 3/8" long. 5/8" Dia. Heavy duty brass with silver contacts. Used for horn or siren. (88924547)	 152909 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 3 Blade Terminals, Clear Dependent Pilot Light, Rating: 25 Amp at 12 Volts	 152918 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Clear/Clear Dependent Pilot Lights, Rating: 25 Amp at 12 Volts	 152925 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Clear/Red Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
 154476 Two Screw Terminals -- Momentary Push Button Switch -- Normally 'OFF', Mounting Stem 9/16" Long x 15/32" Dia. Rating: 6 Amp at 125 Volt AC; 3 Amp at 250 Volt AC. (88924548)	 152910 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 3 Blade Terminals, Green Dependent Pilot Light, Rating: 25 Amp at 12 Volts	 152919 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Green/Green Dependent Pilot Lights, Rating: 25 Amp at 12 Volts	 152927 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Green Dependent Pilot Light and (1) Green Independent Pilot Light, Rating: 25 Amp at 12 Volts
 154629 6 Volt, 5 Screw Terminals. 3 Position Fused 30 Amp Light Switch replaces many Delco-Remy & Ford Applications. (1260727, 88924580)	 152911 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 3 Blade Terminals, Red Dependent Pilot Light, Rating: 25 Amp at 12 Volts	 152920 SPDT On/On, 4 Blade Terminals, Red/Red Dependent Pilot Lights, Rating: 25 Amp at 12 Volts, Weather Resistant Illuminated Rocker Switch	 152929 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Red Dependent Pilot Light and (1) Red Independent Light, Rating: 25 Amp at 12 Volts
 154727 12 Volt, 5 Screw Terminals. 3 Position Fused 15 Amp Light Switch replaces many Delco-Remy & Ford Applications. (88924587)	 152912 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, Amber Independent Pilot Light, Rating: 25 Amp at 12 Volts	 152921 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Amber/Clear Dependent Pilot Lights, Rating: 25 Amp at 12 Volts	 152930 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Green Dependent Pilot Light and (1) Amber Independent Pilot Light, Rating: 25 Amp at 12 Volts
	 152914 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, Green Independent Pilot Light, Rating: 25 Amp at 12 Volts	 152922 Weather Resistant Illuminated Rocker Switch, SPDT On/On, 4 Blade Terminals, Amber/Green Dependent Pilot Lights, Rating: 25 Amp at 12 Volts	 152931 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Green Dependent Pilot Light and (1) Clear Independent Pilot Light, Rating: 25 Amp at 12 Volts

SWITCHES AND SOLENOIDS

ROCKER TYPE SWITCH			
	152932 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Green Dependent Pilot Light and (1) Red Independent Pilot Light, Rating: 25 Amp at 12 Volts		152941 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (1) Red and (1) Amber Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
	152933 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Red Dependent Pilot Light and (1) Amber Independent Pilot Light, Rating: 25 Amp at 12 Volts		152942 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (1) Red and (1) Clear Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
	152934 Weather Resistant Illuminated Rocker Switch, SPST On/Off, 4 Blade Terminals, (1) Red Dependent Pilot Light and (1) Clear Independent Pilot Light, Rating: 25 Amp at 12 Volts		152943 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (1) Red and (1) Green Dependent Pilot Lights, Rating: 25 Amp at 12 Volts
	152936 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (2) Green Dependent Pilot Lights, Rating: 25 Amp at 12 Volts		152961 Weather Resistant Rocker Switch, SPST On/Off, 3 Screw Terminals, (1) Red Pilot Light, Rating: 25 Amp at 12 Volts
	152937 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (2) Red Dependent Pilot Lights, Rating: 25 Amp at 12 Volts		152962 Weather Resistant Rocker Switch, SPST On/Off, 3 Blade Terminals, (1) Red Pilot Light, Rating: 25 Amp at 12 Volts
	152938 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (1) Green and (1) Amber Dependent Pilot Lights, Rating: 25 Amp at 12 Volts		152963 Weather Resistant Rocker Switch, SPST On/Off, 2 Screw Terminals, Rating: 25 Amp at 12 Volts
	152940 Weather Resistant Illuminated Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (1) Green and (1) Red Dependent Pilot Lights, Rating: 25 Amp at 12 Volts		152964 Weather Resistant Rocker Switch, SPST On/Off, 2 Blade Terminals, Rating: 25 Amp at 12 Volts
			152965 Weather Resistant Rocker Switch, SPST Off/Momentary On, 2 Blade Terminals, Rating: 25 Amp at 12 Volts
			152967 Weather Resistant Rocker Switch, DPST On/Off, 4 Blade Terminals, Rating: 25 Amp at 12 Volts
			152968 Weather Resistant Rocker Switch, SPDT On/Off/On, 4 Blade Terminals, (2) Red Pilot Lights, Rating: 25 Amp at 12 Volts
			152969 Weather Resistant Rocker Switch, SPDT On/Off/On, 3 Blade Terminals, Rating: 25 Amp at 12 Volts
			152970 Weather Resistant Rocker Switch, SPDT Momentary On/Off/Momentary On, 3 Blade Terminals, Rating: 25 Amp at 12 Volts
			152971 Weather Resistant Rocker Switch, DPDT On/Off/On, 6 Blade Terminals, Rating: 25 Amp at 12 Volts
			152972 Weather Resistant Rocker Switch, DPDT Momentary On/Off/Momentary On, 6 Blade Terminals, Rating: 15 Amp at 12 Volts
			153762 Red Illuminated Rocker (88924565)
			153772 Green Illuminated Rocker (88924566)
			153782 Amber Illuminated Rocker Switch (88924567)
			153792 Blue Illuminated Rocker (88924568)
			153855 Black Body -- White Rocker, Amber Illuminated Rocker Switch, Single Position (On/Off) -- (2) Spade Terminals for Switch - (1) Terminal for Built-in Bulb. Rating: 35 Amp at 12 Volt (88924570)
			153865 Black Body -- White Rocker, Red Illuminated Rocker Switch, Single Position (On/Off) -- (2) Spade Terminals for Switch - (1) Terminals for Built-in Bulb -- Rating: 35 Amp at 12 Volt
			153876 Amber Illuminated Toggle Type Rocker Switch, Two Position On/Off -- (2) Spade Terminal for Switch - (1) Terminal for Built-in Bulb. Rating: 35 Amp at 12 Volt (88924571)
			153887 Black Body -- Black Rocker, Non-Illuminated Dual Circuit Rocker Switch, Two Position On/Off -- (6) Spade Terminals for Switch -- Rating: 15 Amp at 125 V AC: 10 Amp at 250 V AC; 35 Amp at 12 Volt (88924572)
			153909 Two Position On/Off. Illuminated in "On" Position., Amber-Illuminated Heavy Duty Rocker Switch, Rating: 20 Amp at 12 Volts., 1/2" Mounting Hole (88924574)


SWITCHES AND SOLENOIDS

ROCKER TYPE SWITCH			
 1S3920 Non-Illuminated Heavy Duty Rocker Switch, Rating: 20 Amp at 12 Volts., Two Position On/Off, 1/2" Mounting Hole (88924575)	 1S17448 Universal Rocker Switch, 2 Position, 16 Amp.	 1S17583 Universal, Momentary On, SPST, 20 Amp. 12 Volt, Red Lighted, 7 Blade Terminals, .830 x 1.450 Mounting Hole	 1S17593 Universal, 3 Position, Momentary On/Off/Momentary On, DPST, 4 Blade Terminals, 20 Amp, 12 Volt, Illuminated Red
 1S8315 Mini Rocker, On / Off - 12 Volt - 10 Amp	 1S17449 Universal Rocker Switch, 2 Position, 35 Amp.	 1S17584 Universal, On/Off, SPST, 20 Amp. 12 Volt, Green Lighted, 5 Blade Terminals, .830 x 1.450 Mounting Hole	 1S17594 Universal, Hi/Off/Low, Dual Rocker, DPST, 25 Amp. 12 Volt, 6 Blade Terminals (3 each circuit)
 1S8317 Rocker Switch With Interchangeable Colors & Labels, 12 Volt - 20 Amp	 1S17576 Universal, Dual Rocker, On/Off, 3 Blade Terminals		
 1S8318 Rocker Switch, On / Off - 12 Volt - 20 Amp	 1S17577 Universal, On/Off/On, 4 Blade Terminals	 1S17585 Universal, On/Off, Dual Rocker, DPDT, 35 Amp. 12 Volt, 4 Blade Terminal (2 each circuit)	 1S17595 Universal, Dual Rocker, One On/Off and One Momentary On/Off, One Black and One White, SPST, 2 Blade Terminals Each, 25 Amp, 12 Volt
 1S8319 Mini Rocker, Momentary On / Off / Momentary On, 12 Volt - 10 Amp	 1S17578 Universal, On/Off, 4 Blade Terminals, 35 Amp at 12 Volts, 15 Amp at 125 VAC, 10 Amp at 250 VAC	 1S17586 Universal, On/Off/On, DPST, 20 Amp. 12 Volt, 3 Blade Terminals, .830 x 1.450 Mounting Hole	 1S17596 Universal, On/Off, SPST, 15 Amp. 125 Volt, 2 Blade Terminals
 1S16222 Universal, 2 Position, 2 Terminal, with Amber Indicator Lamp, 35 Amp	 1S17579 Universal, On/Off, Lighted, 3 Terminal, 20 Amp. 12 Volt	 1S17588 Universal, On/Off, DPST, 20 Amp. 12 Volt, 6 Blade Terminals, .830 x 1.450 Mounting Hole	 1S17621 Universal, 3 Position, 2 Blade Terminals, 10 Amp, 12 Volt
 1S16223 Universal, 2 Position, 2 Terminal	 1S17580 Universal, On/Off/Momentary On, 4 Blade Terminals, 35 Amp. 12 Volt	 1S17590 Universal, On/Off with Safety Lock Out, SPST, 20 Amp. 12 Volt, 2 Blade Terminals, .830 x 1.450 Mounting Hole	 1S17622 Universal, 2 Position, 3 Blade Terminals, 16 Amp, 12 Volt, Green Illumination
 1S16224 Universal, 2 Position, 3 Terminal, with Green Indicator Lamp, 10 Amp	 1S17581 Universal, On/Off, 6 Blade Terminals, 35 Amp. 12 Volt	 1S17591 Universal, On/Off/On, DPST, Red/Red Lighted, 20 Amp. 12 Volt, 4 Blade Terminals	 1S17623 Universal, 2 Position, 3 Blade Terminals, 16 Amp, 12 Volt, Red Illumination
 1S17446 Universal Rocker Switch, 2 Position, 20 Amp.	 1S17582 Universal, On/Off, Lighted, 3 Terminal, 16 Amp. 12 Volt	 1S17592 Universal, Momentary On/Off, SPST, Red Lighted, 20 Amp. 12 Volt, 3 Blade Terminals	 1S17624 Universal, 2 Position, 3 Blade Terminals, 10 Amp, 12 Volt, Amber Illumination


SWITCHES AND SOLENOIDS

ROCKER TYPE SWITCH  1S17625 Universal, 2 Position, 3 Blade Terminals, 10 Amp, 12 Volt, Red Illumination	 1S17657 Universal, 3 Position, 20 Amp	 1S3300 Rotary type heater switch -- Illuminated two terminal 12 Volt four position (Off-High-Med.-Low), Heavy Duty, 3 ohm resistance; contact arm slides along a series of brass contacts instead of resistance coil to obtain variable speed. (88922438)	 1M1054 Starter Solenoid 3 Terminal Grounded Curved Base -- 12 Volt (916462, 919294, 1114545, 1121741, 1889797, 3620766, 88923059) International 1962-57 Jeep 1971-58 Nash 1956-56
 1S17626 Universal, 2 Position, 3 Blade Terminals, 10 Amp, 12 Volt, Yellow Illumination	 1S17673 Universal, 2 Position, On/Off, SPST, 5 Blade Terminal, 20 Amp, 12 Volt, Illuminated Red or Green with Inchangeable Black Caps or Lighted Green with Red Cap, .830 x 1.450 Mounting Hole	STARTER SOLENOID  1M1029 4 Terminal Starter Solenoid, 12 Volt, Plastic Case, Insulated Base (3227812, 83300050, 88923062, J3227812) American Motors 1977-75 DeSoto 1959-57 Plymouth 1961-56	 1M1095 3 Terminal Starter Solenoid, 6 Volt, Plastic Case, Insulated Base Ford 1951-37 Lincoln 1951-36 Mercury 1951-39 Studebaker 1954-53
 1S17627 Universal, 3 Position, On-Off-Momentary, 2 Blade Terminal, 35 Amp, 12/24 Volt, Green Illumination	 1S17674 Universal, 2 Position, Momentary On/Off, SPST, 2 blade Terminals, 20 Amp, 12 Volt .830 x 1.450 Mounting Hole	 1M1030 Solenoid Switch 4 Term. Plastic Case 12 Volt Grounded Base. Can also be used as a Universal Solenoid Switch on many 12 Volt truck, bus and tractor applications where a Grounded Base Switch is required. Plastic Case -- Flat Bracket. (596903, 1114208, 3180465, 3225629, 8330049, B6A-11450-A, B6AZ-11450-A, B6AZ-11450-B, C7AF-11450-A, D2DZ-11450-A, D2OF-11450-AB, D2OZ-11450-A, D2OZ-11450-B, D2SF-11450-AB, D8DF-11450-AA, D8DZ-11450-A, D8DZ-11450-B, D8VY-11450, E7HT-11450-AA, E7HZ-11450-A, J0916462, J3180465, J3225629, PB9L-11450-A) American Motors 1977-67 Edsel 1960-58 Ford 1993-52 International 1957-57 Jeep 1983-72 Lincoln 1984-56 Mercury 1984-56 Packard 1958-57 Studebaker 1964-56	 1M1096 3 Terminal Starter Solenoid, 6 Volt, Plastic Case, Grounded Base (1114539, 88923061, B5A-11450-A, FAB-11450-B) Crosley 1952-50 Ford 1955-51 Hudson 1955-55 Kaiser 1951-50 Lincoln 1955-52 Mercury 1955-52 Plymouth 1955-50
 1S17628 Universal, 3 Position, 5 Blade Terminals, 35 Amp, 12 Volt	 1S17701 Universal, On/Off, 3 Blade Terminals, 16 Amp at 12 Volts, Green Illuminated	 1S17745 Universal, 2 Position, On/Off, SPST, 20 Amp. 12 Volt, Red Illuminated, 3 Blade Terminals	 1M1330 Farm & Industrial, Starter Solenoid 8N-11450, Insulated Base, 3 Term., 1950-1959 Ford Tractor (8N-11450)
 1S17629 Universal, 2 Position, 3 Blade Terminals, 12 Volt, 15 Amp, Green Illumination	 1S17747 Universal, 2 Position On-Off, 10 Amp.	 1M1053 Starter Solenoid Grounded Base 6 Volt International 1957-57 Jeep 1970-52 Kaiser 1955-52 Nash 1955-50 Studebaker 1955-55	 1M1341 Universal Continuous Duty Solenoid, 12 Volts, 3 Terminals, Grounded Base, Continuous Rating: 80 Amps at 12 Volts
 1S17630 Universal, 3 Position, 3 Blade Terminals, 10 Amp, 12 Volt	ROTARY TYPE SWITCH  1S3199 Rotary type heater switch -- Illuminated two terminal 6 Volt four position (Off-High-Med.-Low), Heavy Duty, 1 1/2 ohm resistance; contact arm slides along a series of brass contacts instead of resistance coil to obtain variable speed. (88922437)		 1M1342 Universal Intermittent Duty Solenoid, 24 Volt, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.

SWITCHES AND SOLENOIDS

STARTER SOLENOID				
 1M1345 Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Grounded Base, Phenolic Base, 9/32" x 25/64" Slots, 2-7/64" on centers., Intermittent Rating: 750 Amp Make, 100 Amp Break, 10 Secs. On, 20 Min. Off. DeSoto 1959-57 Plymouth 1961-56		 1M1354 Universal Intermittent Duty Solenoid, Plasticized Steel Housing, 12 Volts, 3 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers.	 1M1363 Universal Intermittent Duty Solenoid, 6 Volt, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-1/8" on centers.	 1M1372 Universal Continuous Duty Solenoid, Plasticized Steel Housing, 36 Volts, 4 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers.
		 1M1355 Universal Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.	 1M1365 Universal Continuous Duty Solenoid, 24 Volt, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., SPDT for forward & reverse systems., Continuous Rating: 35 Amp Closed, 85 Amp Open.	 1M1373 Universal Continuous Duty Solenoid, Marine Rated, 12 Volts, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 65 Amp
 1M1346 Universal Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Grounded Base, Steel Housing, Marine Construction with Brass Nuts & Lock Washers, Clear Dichromate Finish, 5/15" x 19/32" Slots, 2-13/64" on centers.		 1M1356 Universal Intermittent Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.	 1M1366 Universal Continuous Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., SPDT for forward & reverse systems., Continuous Rating: 35 Amp Closed, 85 Amp Open.	 1M1374 Universal Continuous Duty Solenoid, Marine Rated, Plasticized Steel Housing, 12 Volts, 4 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers.
 1M1347 Universal Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-1/8" on centers.		 1M1357 Universal Intermittent Duty Solenoid, Plasticized Steel Housing, 12 Volts, 4 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers.	 1M1367 Universal Continuous Duty Solenoid, 12 Volts, 5 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., SPDT for forward & reverse systems., Continuous Rating: 35 Amp Closed, 85 Amp Open.	 1M1375 Universal Continuous Duty Solenoid, Marine Rated, Plasticized Steel Housing, 24 Volt, 4 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers.
 1M1349 Universal Intermittent Duty Solenoid, with Resistor Shorting Circuit, 12 Volts, 4 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.		 1M1358 Universal Intermittent Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.	 1M1369 Universal Continuous Duty Solenoid, 12 Volts, 2 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 35 Amp Closed.	 1M1376 Universal Continuous Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Silver Contacts, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 200 Amp at 12 Volts
 1M1350 Universal Intermittent Duty Solenoid, with Resistor Shorting Circuit, 12 Volts, 4 Terminals, Grounded Base, Phenolic Housing, 9/23" x 1/2" Slots, 2-13/64" on centers.		 1M1360 Universal Intermittent Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Phenolic Housing, 9/32" x 3/4" Slots 2-13/64" on centers.	 1M1370 Universal Continuous Duty Latching Solenoid, 12 Volts, 4 Terminals, 9/32" x 5/16" Slots, 2-13/64" on centers, Can be used to isolate one battery from another or used as a battery master disconnect., Continuous Rating: 110 Amp "Carry Only"	 1M1377 Universal Continuous Duty Solenoid, 24 Volt, 4 Terminals, Insulated Base, Silver Contacts, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 200 Amp at 24 Volts "Carry only, not to break"
 1M1352 Universal Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers.		 1M1361 Universal Intermittent Duty Solenoid, 6 Volt, 3 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-1/8" on centers.		 1M1378 Universal Continuous Duty Solenoid, 36 Volts, 4 Terminals, Insulated Base, Copper Contacts, Steel Housing, 9/32" x 11/16" Slots, 2-7/64" on centers., Continuous Rating: 85 Amp at 36 Volts.
 1M1353 Universal Intermittent Duty Solenoid, 12 Volts, 3 Terminals, Insulated Base, Phenolic Housing, 9/32" x 1/2" Slots, 2-13/64" on centers.		 1M1362 Universal Intermittent Duty Solenoid, 6 Volt, 3 Terminals, Insulated Base, Steel Housing, 5/15" x 19/32" Slots, 2-13/64" on centers.	 1M1371 Universal Continuous Duty Solenoid, Marine Rated, 36 Volts, 4 Terminals, Insulated Base, Steel Housing, 9/32" x 11/16" Slots, 2-7/64" on centers.	

SWITCHES AND SOLENOIDS

STARTER SOLENOID  1M1379 Universal Continuous Duty Solenoid, Plasticized Steel Housing, 36 Volts, 4 Terminals, Insulated Base, Continuous Rating: 85 Amp at 36 Volts.	 1M1387 Universal Continuous Duty Solenoid, Plasticized Steel Housing, 12 Volts, 4 Terminals, Insulated Base, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 12 Volts.	 1M1399 Universal Continuous Duty Solenoid, 12 Volt, Insulated Base with Flat Bracket, 6 Terminals, Used on Garden Tractors, Golf Carts & Fork Lifts	 1M1556 Universal Continuous Duty Solenoid, 12 Volts, 4 Terminals, 100 Amp, 14-16 Ohms
 1M1380 Universal Continuous Duty Solenoid, 24 Volt, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 24 Volts	 1M1388 Universal Continuous Duty Solenoid, 6 Volt, 3 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 6 Volts.	 1M1400 Universal Continuous Duty Solenoid, 12 Volt, Grounded Base with Flat Bracket, 5 Terminals, Used on Garden Tractors, Golf Carts & Fork Lifts	 1M1560 Cummins Diesel 24V Delco # 1993729, 1993902, 1993732, 1993901
 1M1381 Universal Continuous Duty Solenoid, 24 Volt, 3 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers, Continuous Rating: 85 Amp at 24 Volts.	 1M1389 Universal Continuous Duty Solenoid, 6 Volt, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 6 Volts.	 1M1401 Universal Continuous Duty Starter Solenoid, 12 Volt with Spike Protection, 3 Terminals, Grounded Base, Continuous Rating 100 amps at 12 Volt	 1M1562 Detroit Diesel Stamped 1993999, 1993996, 1990381, Delco 42 MT Starter, 24 Volt (1115597, 19145565)
 1M1382 Universal Continuous Duty Solenoid, 24 Volt, 3 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 24 Volts.	 1M1391 Universal Continuous Duty Solenoid, 24 Volt, 4 Terminals, 60 Amp Rating, Copper Contacts, Flat Bracket, Insulated Base	 1M1437 Ford, GM, Freightliner, Kenworth, Mack MD/HD Trucks, Caterpillar & Cummins Engines, Delco 42 MT Starter, 12 Volt (1115593)	 1M1563 Kenworth, Cat 3306, 3408 Delco Starter # 1990226
 1M1384 Universal Continuous Duty Solenoid, 12 Volts, 3 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 12 Volts.	 1M1392 Universal Starter Solenoid, 12 Volt, grounded base, 3 Terminals (1114209)	 1M1468 Universal Continuous Duty Solenoid, 12 Volt, Contacts: 80 amps continuous, 160 amps intermittent., Fits: snow plows, golf carts, recreational products, roof mounted emergency warning lights, heavy duty electrical accessories. (56131K, 56134K, 1114223, 2257158, 3635820, 88923249)	 1M1573 Universal Continuous Duty Solenoid, 12 Volt, 300 Amp Continuous, 4 Terminals, Flat Bracket, Insulated Base
 1M1385 Universal Continuous Duty Solenoid, 12 Volts, 3 Terminals, Grounded Base, Steel Housing, 5/16" x 19/32" Slots, 2-1/8" on centers., Continuous Rating: 85 Amp at 12 Volts.	 1M1393 Universal Continuous Duty Solenoid, 36 Volt, 4 Terminals, Flat Bracket, Insulated Base, 40 Amp Rating	 1M1518 Harley-Davidson Motorcycles (71469-65B)	 1M1575 John Deere Tractor - Waukesha Engines, 4 Circuit, 24 Volt, Insulated Base
 1M1386 Universal Continuous Duty Solenoid, 12 Volts, 4 Terminals, Insulated Base, Steel Housing, 5/16" x 19/32" Slots, 2-13/64" on centers., Continuous Rating: 85 Amp at 12 Volts.	 1M1397 Marine Applications, Sierra 18-5813, 12 Volt Continuous Duty Solenoid	 1M1553 Freightliner Heavy Duty Truck, Delco 42 MT Starter, 24 Volt	 1M1577 Universal Starter Solenoid, 12 Volt, Single Circuit Solenoid with Pushbutton Reset, Farm & Industrial / Marine Applications
	 1M1398 Marine Applications, Sierra 18-5815, 12 Volt Continuous Duty Solenoid		 1M1578 Mercury - Marine, Mercruiser, 12 Volt, OEM style, Interchangeable Isolated Base (88-825842A1, 89-818999A2)



SWITCHES AND SOLENOIDS

STARTER SOLENOID	TOGGLE SWITCH		
 1M1582 Continuous Duty Solenoid, 12 Volt continuous duty solenoid. Contacts; 80 amps continuous, 160 amps intermittent., Two 10 gauge terminal, Two 16 gauge terminals. (24059)	 1S1183 Two Brass Terminals -- SPST -- Two Position (On-On) Plastic Toggle Switch., 15 Amp at 28 Volts., Thermoplastic Housing with Neoprene Seal., Used for Marine & Recreational Vehicles where Weather Protection is Required. (88924553)	 1S1679 Contains Green Illuminated Toggle Switch with Mounting Screws (88924539)	 1S1716 3 position single pole double throw. Momentarily "On" normally "Off", momentarily "On". Furnished with 3 heavy copper screw terminals and chrome plated handle. Mounting same as 1S4337. Rating: 35 Amp at 6-12 Volts (88924557)
 1M1607 Universal, 12 Volt, 100 Amp, Continuous Duty Solenoid	 1S1276 Two Brass Terminals -- SPST -- Two Position (On/Off) Plastic Toggle Switch., 15 Amp at 28 Volts., Thermoplastic Housing with Neoprene Seal., Used for Marine & Recreational Vehicles where Protection is Required. (88924554)	 1S1680 1 1/2' Long Handle, Two Position On/Off, Includes Interchangeable Boots in Black, Blue, Red & Yellow, Two Screw Terminals, Rating: 50 Amp at 12 Volts, Mounting Stem 15/32" Dia. (88924540)	 1S2708 SPST, Off, Momentary On, 2 Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Black Duck Bill Handle
 1M1623 Universal, 4 Terminal, Intermittent Duty, 24 Volt	 1S1358 Three Brass Terminals -- SPDT -- Three Position (On/Off-Momentary On) Plastic Toggle Switch., 15 Amp at 28 Volts., Thermoplastic Housing with Neoprene Seal., Used for Marine & Recreational Vehicles where Weather Protection is Required. (88924555)	 1S1682 Two Position Momentary On/Off, Two Blade Terminals, Rating: 20 Amp at 12 Volts, Mounting Stem 15/32" Dia., 7/8" Long Duckbill Handle (88924541)	 1S2710 SPST Momentary On/Off, 2 Screw Terminals, Rating: 25 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle
 1M1624 Universal, 3 Terminal, Intermittent Duty, 24 Volt	 1S1445 Three Brass Terminals -- SPDT -- Three Position (On/Off/On) Plastic Toggle Switch., 15 Amp at 28 Volts., Thermoplastic Housing with Neoprene Seal., Used for Marine & Recreational Vehicles where Weather Protection is Required. (88924556)	 1S1683 Three Position On/Off/On, Three Blade Terminals, Rating: 20 Amp at 12 Volts, Mounting Stem 15/32" Dia., 7/8" Long Duckbill Handle (88924542)	 1S2711 SPST Momentary On/Off, 2 Blade Terminals, Rating: 25 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle
 1M1626 Universal, 12 Volt, 4 Terminal, 100 Amp Continuous Duty	 1M1627 Universal, 12 Volt, 4 Terminal, 100 Amp Continuous Duty	 1S1699 2 position single pole single throw furnished with "On/Off" face plate, three 1/4" wide male blade terminals and chrome plated handle. Fused for 30 Amp Mounting and rating same as 1S4337. (12321930)	 1S2712 SPST - On/Momentary Off, Two Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle
 1M1628 Mercury Marine, Delco 5MT PMGR Series Starter	 1S1666 Contains Red Illuminated Toggle Switch with Mounting Screws (88924519)	 1S1708 3 position, single pole double throw furnished with "On/Off/On" 3 heavy copper screw terminals, chrome plated handle. Mounting same as 1S4337. Rating: 25 Amp at 12 Volts, Silver Contacts (88922348, 88924508)	 1S2713 SPST - On/Momentary Off, Two Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle
 1M1632 Universal, Delco 12 Volt PG250 Starter	 1S1678 Contains Amber Illuminated Toggle Switch with Mounting Screws (88924538)		 1S2714 SPST On/Off, 2 Screw Terminals, Rating: 15 Amp at 12 Volts, 5/8" Long Chrome Bat Handle
 1M1636 Universal, 4 Terminals, 24 Volt			

SWITCHES AND SOLENOIDS

TOGGLE SWITCH			
 1S2716 SPST On/Off, Two Screw Terminals, Rating: 15 Amp at 12 Volts, 30 Amp at 6 Volts, 9/16" Long Chrome Bat Handle, Supplied with On/Off Face Plate	 1S2725 SPST On/Off, Two Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Supplied with On/Off Face Plate, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2736 SPST On/Off, Two Screw Terminals, Rating: 35 Amp at 6 Volts, 20 Amp at 12 Volts, 3/8" Long Chrome Bat Handle, Mounting Stem 3/8" Long x 15/32" Dia.	 1S2747 SPDT On/Off/Momentary On, Three Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.
 1S2717 SPST On/Off, Two Screw Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Chrome Bat Handle	 1S2726 SPST On/Off, Two Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Supplied with On/Off Face Plate, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2739 SPDT Momentary On/Off/Momentary On, Three Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2748 SPDT On/Off/On, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Black Duck Bill Handle
 1S2718 SPST On/Off, Two Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Black Duck Bill Handle	 1S2727 SPST On/Off, Two Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Supplied without Ring, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2740 SPDT Momentary On/Off/Momentary On, Three Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2749 SPDT On/Off/On, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Chrome Duck Bill Handle
 1S2719 SPST On/Off/On, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Chrome Duck Bill Handle	 1S2731 SPST On/Off, Two Screw Terminals, Rating: 50 Amp at 12 Volts, 1" Long Black Duck Bill Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2741 SPDT Momentary On/Off/Momentary On, Three Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Black Duck Bill Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 1S2750 SPDT On/Off/On, Three Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.
 1S2721 SPST On/Off, Two Blade Terminals, Rating: 50 Amp at 12 Volts, 1" Long Chrome Duck Bill Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2732 SPST On/Off, Two Screw Terminals, Rating: 50 Amp at 12 Volts, 1 1/2" Long Chrome Round Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2743 SPDT Momentary On/Off/Momentary On, Three Screw Terminals, Rating: 50 Amp at 12 Volts, 1" Long Black Duck Bill Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2751 SPDT On/Off/On, Three Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.
 1S2722 SPST On/Off, Two Blade Terminals, Rating: 50 Amp at 12 Volts, 1" Long Black Duck Bill Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2733 SPST On/Off, Two Screw Terminals, Silver Contacts, Rating: 50 Amp at 12 Volts, 7/8" Long Red Duck Bill Handle	 1S2744 SPDT Momentary On/Off/Momentary On, Three Screw Terminals, Rating: 50 Amp at 12 Volts, 1 1/2" Long Chrome Round Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 1S2753 SPDT On/Off/On, Three Screw Terminals, Rating: 50 Amp at 12 Volts, 1" Long Black Duck Bill Handle, Mounting Stem 7/16" Long x 15/32" Dia.
 1S2724 SPST On/Off, Two Screw Terminals, Rating: 35 Amp at 12 Volts, 11/16" Long Chrome Duck Bill Handle, Silver Contacts, Supplied with On/Off Face Plate	 1S2734 SPST Off/Momentary On, Two Blade Terminals, Rating: 10 Amp at 12 Volts, Black Paddle Handle	 1S2746 SPDT Momentary On/Off/Momentary On, Three Screw Terminals, Rating: 50 Amp at 6-24 Volts, 1 5/8" Long Chrome Round Handle, Silver Contacts	 1S2754 SPDT On/Off/On, Three Screw Terminals, Rating: 50 Amp at 6-24 Volts, 1 5/8" Long Chrome Round Handle, Silver Contacts

SWITCHES AND SOLENOIDS

TOGGLE SWITCH			
 152756 SPDT On/Off/On, Three Screw Terminals; Silver Contacts, Rating: 50 Amp at 12 Volts, 7/8" Long Red Duck Bill Handle	 152769 DPDT Momentary On/Off/Momentary On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152776 DPDT On/Off/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia., Use as a Headlight Switch	 152791 DPDT Momentary On/Off/Momentary On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 11/16" Long Chrome Bat Handle
 152758 SPDT On/On, Three Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152770 DPDT Momentary On/Off/Momentary On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152778 DPDT On/Off/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152792 SPST On/Off, Red Illuminated in On Position, Four Screw Terminals, Rating: 35 Amp at 12 Volts, 11/16" Long Duck Bill Handle, Mounting Stem 15/32" Long x 15/32" Dia.
 152759 SPDT On/On, Three Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152771 DPDT Momentary On/Off/Momentary On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152779 DPDT On/Off/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152793 SPST On/Off, Red Illuminated in On Position, Four Blade Terminals, Rating: 35 Amp at 12 Volts, 11/16" Long Duck Bill Handle, Mounted Stem 15/32" Long x 15/32" Dia.
 152760 SPDT On/On, Three Screw Terminals, Rating: 50 Amp at 12 Volts, 1 1/2" Long Chrome Round Handle, Mounting Stem 7/16" Long x 15/32" Dia.	 152772 DPDT Momentary On/Off/Momentary On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152782 DPDT On/On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia., Reversing Type Switch	 152794 SPST On/Off, Red Illuminated in On Position, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Duck Bill Handle
 152762 DPST On/Off, Four Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152774 DPDT Momentary On/Off/On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152783 DPDT On/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia., Reversing Type Switch	 152795 SPST On/Off, Green Illuminated in On Position, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Duck Bill Handle, Mounting Stem 15/32" Long x 15/32" Dia.
 152767 DPDT Momentary On/Off/Momentary On, Four Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 1 1/2" Long Chrome Bat Handle, Reversing Type Switch, Mounting Stem 15/32" Long x 15/32" Dia.	 152775 DPDT Momentary On/Off/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152784 DPDT On/On, Six Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Mounting Stem 15/32" Long x 15/32" Dia.	 152796 SPST On/Off, Amber Illuminated in On Position, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Duck Bill Handle
 152768 DPDT Momentary On/Off/Momentary On, Four Blade Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Chrome Bat Handle, Reversing Type Switch, Mounting Stem 15/32" Long x 15/32" Dia.		 152785 DPDT On/On, Six Screw Terminals, Rating: 35 Amp at 12 Volts, 20 Amp at 125 Volts, 10 Amp at 250 Volts, 11/16" Long Black Duck Bill Handle, Mounting Stem 15/32" Long x 15/32" Dia., Reversing Type Switch	 152797 SPST On/Off, Blue Illuminated in On Position, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 11/16" Long Duck Bill Handle



SWITCHES AND SOLENOIDS

TOGGLE SWITCH  152798 SPST On/Off, Red "LED" Illuminated in On Position, Three Blade Terminals, Rating: 20 Amp at 12 Volts, 1 1/16" Long Bat Handle  152805 SPDT On/Off/On, Red Illuminated in Both On Positions, Five Blade Terminals, Rating: 35 Amp at 12 Volts, 1 1/16" Long Duck Bill Handle, Mounting Stem 15/32" Long x 15/32" Dia.  152809 Contains (1) SPST Toggle Switch Mounted in a Plastic Panel, Mounts on 1" Centers, Rating: 15 Amp at 12 Volts  152813 Two terminals with two position "off-on", Used for 6 or 12 Volt where toggle switch is required., Mounting Stem 5/16" Long, 3/8" Dia., Furnished with chrome plated brass knob and face nut, stem., Rating: 35 Amp at 6 Volt; 20 Amp at 12 Volt. (88924561)  153718 Red Illuminated Toggle, 3 Blade Terminals, Rating: 10 Amps at 12 Volts, 20 Amps at 6 Volts (88924518)  153729 Green Illuminated Toggle, 3 Blade Terminals, Rating: 10 Amps at 12 Volts, 20 Amps at 6 Volts (88924520)  153740 Amber Illuminated Toggle Switch, 3 Blade Terminals, Rating: 10 Amps at 12 Volts, 20 Amps at 6 Volts (88924523)	 153751 Blue Illuminated Toggle, 3 Blade Terminals, Rating: 10 Amps at 12 Volts, 20 Amps at 6 Volts (88924521)  153825 Two Terminal - Two Position (On/Off) switch. Mounting stem 3/8" long, 3/8" Dia. Bat handle., 20 Amp at 6 Volts; 10 Amp at 12 Volts. (12323005)  154329 Two Terminal - Two Position (On/Off) Switch. Mounting stem 3/8" long, 7/16" Dia. Bat handle. Complete with indicating plate., Rating: 35 Amp at 6-8 Volts; 20 Amp at 12 Volts. (88922283)  154337 HEAVY DUTY TYPE 6-12 VOLTS - 35 AMPS 2 POSITION, On/Off SPST Extra Long Bat Handle, Knurled Face Nut, On/Off Indicator Plate, Chrome Plated Mounting Stem, Housing and Hex Back Nut Bright Zinc Plated. Terminal Screws Assembled., Bushing Dia. 15/32", Length 15/32", Rating: 15 Amp at 125 Volts, 10 Amp at 250 Volts, 35 Amp at 12 Volts. (88924507)  154338 HEAVY DUTY TYPE AC/DC, On-On DPDT Bat Handle, Hex Back Nut, Bright Zinc Plated. 6 Terminal Screws Assembled. Bushing Dia. 15/32", Length 15/32", Rating: 15 Amp at 125 Volts, 10 Amp at 250 Volts, 35 Amp at 12 Volts. (12336275)  154339 HEAVY DUTY TYPE AC/DC, On/Off DPST Bat Handle, Hex Back Nut, Bright Zinc Plated. 4 Terminal Screws Assembled. Bushing Dia. 15/32", Length 15/32", Rating: 15 Amp at 125 Volts, 10 Amp at 250 Volts, 35 Amp at 12 Volts. (88924509)	 154361 HEAVY DUTY TYPE, On/Off SPST Bat Handle, Hex Back Nut, Bright Zinc Plated. 2 Terminal Screws Assembled. Bushing Dia. 15/32", Length 7/16", Rating: 50 Amp at 12 Volts (88922287)  154371 HEAVY DUTY TYPE AC/DC, On/Off/On DPDT Bat Handle, Hex Back Nut, Bright Zinc Plated. 6 Terminal Screws assembled. Bushing Dia. 15/32", Length 15/32", Rating: 15 Amp at 125 Volts, 10 Amp at 250 Volts, 20 Amp at 6, 12, 24 Volts. (12336878)  154506 6 Terminal -- DPDT -- 3 Position (On/Off/On) Switch., Mounting Stem: 15/32" Dia. x 3/8" Long., 5/8" Long Handle, Thermoplastic Housing with Neoprene Seal. Used on Marine & Recreational Vehicles., Rating: 10 Amp at 12 Volts (88924578)  154516 On/Off/On SPST Bat Handle, Bright Zinc Plated. (3) 1/4" Blade Terminals. Bushing Dia. 5/16", Length 5/16", Rating: 20 Amp at 125 Volts, 10 Amp at 250 Volts, 35 Amp at 12 Volts. (88924579)  154526 6 Terminal -- DPDT -- 3 Position (Momentary On/Off/Momentary On) Switch., Mounting Stem: 15/32" Dia. x 3/8" Long., 5/8" Long Handle, Thermoplastic Housing with Neoprene Seal. Used on Marine & Recreational Vehicles., Rating: 25 Amp at 12 Volts (88924511)	 154630 SPST (On/Off) Switch. Bakelite Housing. Mounting Stem 15/32" Long, 15/32" Dia. Two Screw Terminals. Bat Handle., Rating: 15 Amp 125 Volts AC; 10 Amp 250 Volts AC; 3/4 H.P. 120-240 Volt AC. (88924581)  154639 SPDT (On/Off/On) Switch. Bakelite Housing. Mounting Stem 15/32" Long, 15/32" Dia. Three screw terminals. Bat Handle., Rating: 15 Amp 125 Volts AC; 10 Amp 250 Volts AC; 3/4 H.P. 120-240 Volt AC. (12323008)  154650 Underwriters Approved, Two Screw Terminals -- Two position (On/Off) switch with nickel plated indicator plate. Mounting stem 15/32" long, 15/32" Dia. Ball handle., Rating: 3 Amp 250 Volts; 6 Amp 115 Volts. (88924582)  154661 Underwriters Approved, Two Screw Terminals -- Two position (On/Off) switch with nickel plated indicator plate. Mounting stem 15/32" long, 15/32" Dia. Bat Handle., Rating: 3 Amp 250 Volts; 6 Amp 115 Volts. (88924583)  154670 Underwriters Approved, Two 6" wire leads. Two position (On/Off) switch with nickel plated indicator plate. Mounting stem 5/16" long, 15/32" Dia. Bat handle., Rating: 6 Amp 125 Volt AC; 3 Amp 250 Volt AC (88924584)  154688 Toggle Switch Heavy Duty, SPST Two Position (On/Off), Rating: 50 Amp at 12 Volt, Stem Diameter 15/32", Stem Length 15/32", Modern Chrome Plated Handle, Die Cast Housing, Copper Screw Terminals, Silvered Contacts (88924586)
--	---	---	--

SWITCHES AND SOLENOIDS

TOGGLE SWITCH  1S4697 Single Throw "On/Off". Paddle Handle. 2 Screw Terminals. Black reversible 2 step collar & bezel to fit thin or thick panel., Mounts through 1/2" diameter hole. Rating:- 10 Amp at 12 Volts; 20 Amp at 6 Volts. (88924549)	 1S12417 SPST Off/On Two Screw Terminals, Rating: 20 Amp at 6 VDC, 10 Amp at 12VDC, Bat Handle, 3/8"L X 3/8" Diameter Mounting Stem	 1S17528 Universal, 20 Amp, 3 Position, 8 Terminal, without Illumination	 1V1336 Farm & Industrial Autolite Equipped, 12 Volt - Positive or Negative Ground, with Ground Terminal on Bottom of Regulator
 1S4708 Mounting Panel Assembly -- One Toggle Switch assembled on an attractive wood grain finished heavy gauge formed mounting panel. Rating:- 10 Amp at 12 Volts; 20 Amp at 6 Volts.	 1S13814 Universal, On-Off, Single Pole Single Throw, 2 Blade Terminals, 25 Amp. 12 Volt, with Bright Nickel Plate Bezel	 1S17667 Universal, Black, Screw in Mount, Circular Base TOGGLE SWITCH FACEPLATE	 1V1337 6 Volt - Positive Ground -- 2 Unit. Allis Chalmers, John Deere, IHC, Massey Ferguson (354234R91, 1118308, 1118426, 1118982, 1119575)
 1S4758 3 Position "On/Off/On", Black bat handle. 3 male blade terminals supplied with 3 push-on wire terminals., Reversible 2-step collar and chrome-plated bezel to fit thin or thick panel. Mounts through 1/2" diameter hole. Spring loaded for positive snap on-o (88922358)	 1S16225 Universal, 2 Position, 4 Terminal, 25 Amp	 1S1709 Metal Stamped Face Plate, Marked with On/Off VOLTAGE REGULATOR VOLTAGE REGULATOR	 1V1338 Farm, Industrial, Marine: 12 Volt, Universal Ground (105114A, 1118779, 1118993, 1118999)
 1S4765 Single throw momentarily "On" normally "Off" - Black bat handle., 2 male blade terminals supplied with 2 push-on wire terminals., Reversible 2 step collar and chrome plated bezel to fit thin or thick panel., Mounts through 1/2" diameter hole. Rating: 20 (88922300)	 1S17521 Universal, 20 Amp, 3 Position, 5 Terminal	 1V1328 Ford Tractor 8N From Serial 263845, 6 Volt - Positive Ground	 1V1364 Farm & Industrial, Heavy Duty Trucks: Delco Equipped Generators, 12 Volt, 50 Amp. Positive or Negative Ground. (1118279, 1118339, 1118838, 1118880, 1118881, 1118965, 1119619, 1119672)
 1S10523 On-Off-On, 16 Ga. Leads, 25Amp. 12 Volt, 11/16" Long Handle	 1S17522 Universal, 2 Position, 2 Terminal, 35 Amp at 12 Volts, 10 Amp at 250 VAC, 15 Amp at 125 VAC	 1V1329 6 Volt - Positive Ground, Ford Tractors 2N, 9N From '49 and Ford Tractors 8N to Serial 263844 (8N-10505, 8N-10505-B, 88925122)	 1V1437 12V, 15-18 AMP 3 Unit Pos. or Neg. Ground (1118905, 1118906, 1119152, 1119153, 1119165, 1119180, 1119207, 1119252)
 1S12416 SPST On/Off Two Screw Terminals, Rating: 35 Amp at 12 VDC, 20 Amp at 125VAC, Chrome Plate Brass Bat Handle, Sealed Bushing 15/32"L X 15/32"-32 Mounting Stem	 1S17523 Universal, 20 Amp, 2 Position, 4 Terminal	 1V1330 6 Volt - Positive Ground, Ford Tractor (88925123, FAG-10505-A)	 1V1495 Caterpillar, Allis Chalmers, 30V Delco Alt # 1117773, 1117074
1S12416 SPST On/Off Two Screw Terminals, Rating: 35 Amp at 12 VDC, 20 Amp at 125VAC, Chrome Plate Brass Bat Handle, Sealed Bushing 15/32"L X 15/32"-32 Mounting Stem	 1S17525 Universal, Illuminated, 2 Position, 4 Terminal	 1V1333 Farm & Industrial: Delco Equipped, 12 Volt - Positive or Negative Ground. (1118981, 1118988)	 1V1496 Caterpillar, Delco Alt # 1117226 24V, 45 Amp
	 1S17526 Universal, 2 Position, 3 Terminal, 10 Amp at 250 VAC, 15 Amp at 125 VAC, 35 Amp at 12 VAC, with Green Illuminated in On Position	 1V1335 Farm & Industrial, 12 Volt - Positive or Negative Ground	 1V1497 Caterpillar, Allis Chalmers, 32V Delco Alt # 1117773

VOLTAGE REGULATOR

VOLTAGE REGULATOR			
 1V1501 Leece Neville model 8RF2021A, 12 volt, 8AL, 8HA & 8AR series alternators	 2J1005 Four gang junction block. Brass, nickel plated terminal links and binding head terminal screws. Moisture repellent molded Bakelite base with protective insulator barrier strips., 3 15/64" x 1 5/16" x 11/16", 30 Amp. Max (88922404)	 2J1021 Fourteen Terminal Feed Thru Junction Block	
WIRING POWER DISTRIBUTION BLOCK POWER DISTRIBUTION BLOCK	 2J1006 Ten Terminal Junction Block. Brass, nickel plated terminal links and binding head terminal screws. Moisture repellent molded Bakelite base with protective insulator barrier strips., 6 39/64" x 1 5/16" x 11/16" (88922405)	 2J1022 7 Circuit Breaker Tray	
 2J1000 Six gang junction block. Brass, nickel plated terminal links and binding head terminal screws. Moisture repellent molded Bakelite base with protective insulator barrier strips., 4 23/64" x 1 5/16" x 11/16", 30 Amp. Max (88922399)	 2J1007 Ten Terminal Junction Block with Cover	 2J1024 Solid brass buss bar for up to 36 Volts, 10 Circuits	
 2J1001 Eight gang junction block. brass, nickel plated terminal links and binding head terminal screws. Moisture repellent molded Bakelite base with protective insulator barrier strips., 5 31/64" x 1 5/16" x 11/16", 30 Amp. Max (88922400)	 2J1008 Seven Terminal Junction Block, 4 Open & 4 Closed with 2 Strain Collars		
 2J1002 Seven terminal junction block with plastic case and cover. (88922401)	 2J1010 Four Terminal Non-Feed Thru Junction Block		
 2J1003 Six gang junction block with "Buss" bar. (88922402)	 2J1011 Six Terminal Non-Feed Thru Junction Block		
 2J1004 Ten Terminal Junction Block with Buss Bar. (88922403)	 2J1014 Eight Terminal Non-Feed Thru Junction Block		
	 2J1015 Ten Terminal Non-Feed Thru Junction Block		

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
1B1011	19	1M1387	27	1R2417	9	1S2727	29
1H1001	17	1M1388	27	1R2418	9	1S2731	29
1H1003	17	1M1389	27	1R2420	9	1S2732	29
1H1004	17	1M1391	27	1S1002	19	1S2733	29
1M1029	25	1M1392	27	1S1003	19	1S2734	29
1M1030	25	1M1393	27	1S1004	19	1S2736	29
1M1053	25	1M1397	27	1S1006	19	1S2739	29
1M1054	25	1M1398	27	1S1007	19	1S2740	29
1M1095	25	1M1399	27	1S1008	19	1S2741	29
1M1096	25	1M1400	27	1S1183	28	1S2743	29
1M1330	25	1M1401	27	1S1276	28	1S2744	29
1M1341	25	1M1437	27	1S1358	28	1S2746	29
1M1342	25	1M1468	27	1S1445	28	1S2747	29
1M1345	26	1M1518	27	1S1655	17	1S2748	29
1M1346	26	1M1553	27	1S1658	20	1S2749	29
1M1347	26	1M1556	27	1S1666	28	1S2750	29
1M1349	26	1M1560	27	1S1669	22	1S2751	29
1M1350	26	1M1562	27	1S1671	19	1S2753	29
1M1352	26	1M1563	27	1S1672	19	1S2754	29
1M1353	26	1M1573	27	1S1674	19	1S2756	30
1M1354	26	1M1575	27	1S1677	19	1S2758	30
1M1355	26	1M1577	27	1S1678	28	1S2759	30
1M1356	26	1M1578	27	1S1679	28	1S2760	30
1M1357	26	1M1582	28	1S1680	28	1S2762	30
1M1358	26	1M1607	28	1S1682	28	1S2767	30
1M1360	26	1M1623	28	1S1683	28	1S2768	30
1M1361	26	1M1624	28	1S1697	19	1S2769	30
1M1362	26	1M1626	28	1S1699	28	1S2770	30
1M1363	26	1M1627	28	1S1708	28	1S2771	30
1M1365	26	1M1628	28	1S1709	32	1S2772	30
1M1366	26	1M1632	28	1S1716	28	1S2774	30
1M1367	26	1M1636	28	1S1938	21	1S2775	30
1M1369	26	1P1125	7	1S2545	20	1S2776	30
1M1370	26	1P1126	7	1S2556	21	1S2778	30
1M1371	26	1P1127	7	1S2566	21	1S2779	30
1M1372	26	1P1128	7	1S2708	28	1S2782	30
1M1373	26	1P1129	7	1S2710	28	1S2783	30
1M1374	26	1P1441	7	1S2711	28	1S2784	30
1M1375	26	1P2631	7	1S2712	28	1S2785	30
1M1376	26	1R1713	9	1S2713	28	1S2791	30
1M1377	26	1R1715	9	1S2714	28	1S2792	30
1M1378	26	1R1756	3	1S2716	29	1S2793	30
1M1379	27	1R2266	9	1S2717	29	1S2794	30
1M1380	27	1R2410	9	1S2718	29	1S2795	30
1M1381	27	1R2411	9	1S2719	29	1S2796	30
1M1382	27	1R2412	9	1S2721	29	1S2797	30
1M1384	8	1R2413	9	1S2722	29	1S2798	31
1M1384	27	1R2414	9	1S2724	29	1S2805	31
1M1385	27	1R2415	9	1S2725	29	1S2807	21
1M1386	27	1R2416	9	1S2726	29	1S2809	31

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
1S2811	17	1S3502	21	1S6127	20	1S16225	32
1S2813	31	1S3610	21	1S6130	20	1S16253	21
1S2824	21	1S3718	31	1S6131	20	1S17446	24
1S2835	19	1S3729	31	1S6133	20	1S17448	24
1S2846	19	1S3740	31	1S6147	20	1S17449	24
1S2908	22	1S3751	31	1S6148	20	1S17521	32
1S2909	22	1S3762	23	1S6149	20	1S17522	32
1S2910	22	1S3772	23	1S6152	20	1S17523	32
1S2911	22	1S3782	23	1S6509	20	1S17525	32
1S2912	22	1S3792	23	1S6510	20	1S17526	32
1S2914	22	1S3825	31	1S6511	20	1S17527	32
1S2915	22	1S3855	23	1S6512	20	1S17528	32
1S2916	22	1S3865	23	1S6514	20	1S17529	21
1S2918	22	1S3876	23	1S6528	21	1S17576	24
1S2919	22	1S3887	23	1S6529	21	1S17577	24
1S2920	22	1S3909	23	1S6530	21	1S17578	24
1S2921	22	1S3920	24	1S6531	21	1S17579	24
1S2922	22	1S4030	22	1S6533	21	1S17580	24
1S2923	22	1S4329	31	1S6534	21	1S17581	24
1S2924	22	1S4337	31	1S6537	21	1S17582	24
1S2925	22	1S4338	31	1S7036	20	1S17583	24
1S2927	22	1S4339	31	1S8302	20	1S17584	24
1S2929	22	1S4361	31	1S8303	20	1S17585	24
1S2930	22	1S4371	31	1S8308	21	1S17586	24
1S2931	22	1S4407	22	1S8310	21	1S17588	24
1S2932	23	1S4465	22	1S8314	19	1S17590	24
1S2933	23	1S4476	22	1S8315	24	1S17591	24
1S2934	23	1S4506	31	1S8317	24	1S17592	24
1S2936	23	1S4516	31	1S8318	24	1S17593	24
1S2937	23	1S4526	31	1S8319	24	1S17594	24
1S2938	23	1S4629	22	1S10523	32	1S17595	24
1S2940	23	1S4630	31	1S10524	21	1S17596	24
1S2941	23	1S4639	31	1S10525	21	1S17621	24
1S2942	23	1S4650	31	1S10526	21	1S17622	24
1S2943	23	1S4661	31	1S10533	20	1S17623	24
1S2961	23	1S4670	31	1S10697	21	1S17624	24
1S2962	23	1S4688	31	1S10698	10	1S17625	25
1S2963	23	1S4697	32	1S10699	10	1S17626	25
1S2964	23	1S4708	32	1S10710	10	1S17627	25
1S2965	23	1S4727	22	1S10940	21	1S17628	25
1S2967	23	1S4758	32	1S10969	20	1S17629	25
1S2968	23	1S4765	32	1S11143	20	1S17630	25
1S2969	23	1S4936	19	1S12416	32	1S17655	25
1S2970	23	1S5016	9	1S12417	32	1S17656	25
1S2971	23	1S5204	19	1S13814	32	1S17657	25
1S2972	23	1S5216	21	1S15882	20	1S17667	32
1S3199	25	1S5227	19	1S15883	19	1S17673	25
1S3294	21	1S6029	20	1S16222	24	1S17674	25
1S3295	21	1S6030	20	1S16223	24	1S17701	25
1S3300	25	1S6033	20	1S16224	24	1S17745	25

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
1S17747	25	3C1022	12	3C1121	13	3C1195	15
1V1007	10	3C1023	12	3C1125	13	3C1196	15
1V1008	10	3C1024	12	3C1126	13	3C1197	15
1V1328	32	3C1025	12	3C1127	13	3C1200	15
1V1329	32	3C1029	12	3C1128	14	3C1201	15
1V1330	32	3C1039	12	3C1129	14	3C1202	15
1V1333	32	3C1040	12	3C1130	14	3C1203	15
1V1335	32	3C1041	12	3C1132	14	3C1204	15
1V1336	32	3C1043	12	3C1134	14	3C1205	15
1V1337	32	3C1048	12	3C1136	14	3C1206	15
1V1338	32	3C1055	12	3C1138	14	3C1207	15
1V1364	32	3C1056	12	3C1139	14	4T1083	3
1V1437	32	3C1057	12	3C1140	14	4T1084	3
1V1482	10	3C1058	12	3C1141	14	4T1085	3
1V1495	32	3C1059	12	3C1148	14	4T1086	3
1V1496	32	3C1060	12	3C1150	14	4T1087	3
1V1497	32	3C1061	12	3C1151	14	4T1088	3
1V1501	33	3C1062	12	3C1152	14	4T1089	3
1V1552	10	3C1063	12	3C1158	14	4T1090	3
1V1555	10	3C1065	12	3C1159	14	4T1091	3
2J1000	33	3C1066	13	3C1161	14	4T1092	3
2J1001	33	3C1067	13	3C1162	14	4T1093	3
2J1002	33	3C1069	13	3C1163	14	4T1094	3
2J1003	33	3C1070	13	3C1164	14	4T1095	3
2J1004	33	3C1071	13	3C1165	14	4T1096	3
2J1005	33	3C1072	13	3C1166	14	4T1097	3
2J1006	33	3C1073	13	3C1167	14	4T1098	3
2J1007	33	3C1074	13	3C1169	14	4T1100	3
2J1008	33	3C1082	13	3C1170	14	4T1101	3
2J1010	33	3C1087	13	3C1171	3	4T1102	3
2J1011	33	3C1088	13	3C1172	14	4T1103	3
2J1014	33	3C1090	13	3C1173	14	4T1104	3
2J1015	33	3C1091	13	3C1174	14	4T1105	3
2J1021	33	3C1097	13	3C1176	14	4T1106	3
2J1022	33	3C1098	13	3C1177	14	4T1107	3
2J1024	33	3C1099	13	3C1178	14	4T1108	3
3B1000	8	3C1100	13	3C1179	14	4T1109	3
3C1005	12	3C1101	13	3C1180	14	4T1110	3
3C1008	12	3C1103	13	3C1181	14	4T1111	4
3C1010	12	3C1104	13	3C1182	14	4T1112	4
3C1011	12	3C1105	13	3C1184	15	4T1113	4
3C1012	12	3C1106	13	3C1185	15	4T1114	4
3C1013	12	3C1108	13	3C1186	15	4T1115	4
3C1014	12	3C1109	13	3C1187	15	4T1116	4
3C1015	12	3C1111	13	3C1188	15	4T1117	4
3C1016	12	3C1112	13	3C1189	15	4T1118	4
3C1018	12	3C1116	13	3C1190	15	4T1119	4
3C1019	12	3C1118	13	3C1191	15	4T1121	4
3C1020	12	3C1119	13	3C1192	15	4T1122	4
3C1021	12	3C1120	13	3C1193	15	4T1123	4

Part No.	Page No.	Part No.	Page No.	Part No.	Page No.	Part No.	Page No.
4T1124	4	4T1191	6	6G1030	16	6S1056	8
4T1125	4	4T1192	6	6G1032	16	6S1059	8
4T1126	4	4T1193	6	6G1035	16	6S1061	8
4T1127	4	4T1194	6	6G1036	16	6S1062	8
4T1128	4	4T1195	6	6G1037	16	6S1063	8
4T1129	4	4T1197	6	6G1038	16	6S1064	8
4T1130	4	4T1214	6	6G1039	16	6S1079	8
4T1133	4	4T1215	6	6G1040	16	6S1082	8
4T1134	4	4T1220	6	6G1041	16	6S1090	8
4T1136	4	4T1227	6	6G1042	16	6S1098	8
4T1137	4	4T1228	6	6G1043	16	7A1002	10
4T1139	4	4T1229	6	6G1044	16	7A1003	10
4T1140	4	4T1230	6	6G1045	16	7A1005	10
4T1141	4	4T1231	6	6G1046	16	7A1006	10
4T1142	4	4T1232	6	6G1047	16	7A1008	10
4T1143	4	4T1233	6	6G1049	16	7A1009	10
4T1144	4	4T1234	6	6G1050	16	7A1010	10
4T1145	4	4T1236	6	6G1051	16	7A1011	10
4T1146	4	4T1237	6	6G1052	16	7A1012	11
4T1147	4	4T1238	6	6G1053	16	7A1014	11
4T1150	5	4T1239	6	6G1054	17	7A1015	11
4T1151	5	4T1240	7	6G1055	17	7A1016	11
4T1152	5	4T1241	7	6G1058	17	7A1023	11
4T1153	5	4T1243	7	6G1061	17	7A1026	11
4T1156	5	4T1248	7	6G1063	17	7A1027	11
4T1159	5	5C1019	18	6G1064	17	7A1028	11
4T1160	5	5C1026	18	6G1079	17	7A1029	11
4T1161	5	5C1057	18	6G1080	17	7A1030	11
4T1162	5	5C1063	18	6G1081	17	7A1036	11
4T1163	5	5C1325	19	6R1098	19	7A1039	11
4T1164	5	5C1331	19	6S1001	7	7A1040	11
4T1165	5	5C1607	19	6S1002	7	7A1042	11
4T1166	5	6G1005	15	6S1003	7	7A1044	11
4T1167	5	6G1007	15	6S1006	7	7A1048	11
4T1168	5	6G1010	15	6S1007	7	7A1053	10
4T1169	5	6G1011	15	6S1009	7	7A1056	10
4T1171	5	6G1012	15	6S1013	7	7A1057	11
4T1174	5	6G1013	15	6S1014	7	7A1058	10
4T1176	5	6G1014	15	6S1015	7	7A1059	11
4T1177	5	6G1017	15	6S1016	7	7A1060	11
4T1178	5	6G1018	15	6S1017	7	7A1062	11
4T1179	5	6G1019	15	6S1018	8	7A1063	11
4T1180	5	6G1021	15	6S1019	8	7A3000	9
4T1181	6	6G1022	16	6S1020	8	7A3001	9
4T1182	6	6G1023	16	6S1023	8	7A3002	17
4T1183	6	6G1024	16	6S1026	8	7D1096	11
4T1184	6	6G1025	16	6S1027	8	9A1001	17
4T1185	6	6G1026	16	6S1028	8	9A1002	17
4T1187	6	6G1027	16	6S1033	8	9A1003	17
4T1188	6	6G1028	16	6S1034	8	9A1026	17